
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 1 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	18.0%	21.8%	36.8%	63.2%
Grade 7	7.3%	8.8%	18.8%	81.2%
Grade 8	14.7%	17.1%	29.7%	70.3%
Grade 9	15.9%	19.2%	35.6%	64.4%
Grade 10	20.5%	25.3%	41.3%	58.7%
Grade 11	24.3%	29.9%	46.8%	53.2%
Grade 12	28.4%	34.3%	53.2%	46.8%
Cigarettes?				
All	6.3%	9.1%	19.6%	80.4%
Grade 7	1.5%	2.0%	7.3%	92.7%
Grade 8	4.5%	7.1%	15.0%	85.0%
Grade 9	5.5%	7.2%	17.9%	82.1%
Grade 10	6.5%	10.1%	24.9%	75.1%
Grade 11	8.9%	12.6%	22.9%	77.1%
Grade 12	12.5%	17.5%	33.3%	66.7%
Smokeless Tobacco?				
All	2.7%	4.3%	9.2%	90.8%
Grade 7	0.8%	1.2%	4.6%	95.4%
Grade 8	2.3%	4.0%	7.9%	92.1%
Grade 9	1.4%	2.9%	7.6%	92.4%
Grade 10	3.2%	5.6%	11.9%	88.1%
Grade 11	4.4%	6.2%	11.0%	89.0%
Grade 12	4.7%	6.7%	13.3%	86.7%
Electronic Vapor Products?				
All	11.8%	16.3%	29.7%	70.3%
Grade 7	4.8%	6.1%	13.8%	86.2%
Grade 8	11.2%	13.5%	23.8%	76.2%
Grade 9	9.6%	14.0%	30.3%	69.7%
Grade 10	12.8%	17.5%	33.5%	66.5%
Grade 11	17.0%	24.9%	40.1%	59.9%
Grade 12	17.1%	24.5%	39.9%	60.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 125

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	83.2%	1.4%	2.0%	1.6%	3.5%	2.9%	5.3%
Grade 7	93.4%	0.0%	0.2%	0.8%	1.3%	1.7%	2.6%
Grade 8	86.8%	1.4%	0.9%	1.0%	3.1%	3.0%	3.8%
Grade 9	85.0%	1.1%	1.3%	1.4%	3.3%	2.8%	5.1%
Grade 10	78.2%	1.7%	3.2%	2.0%	4.4%	2.7%	7.9%
Grade 11	79.7%	1.3%	3.1%	2.0%	3.6%	4.0%	6.3%
Grade 12	73.7%	3.6%	4.0%	2.9%	5.5%	3.5%	6.8%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.5	10.8	11.7	12.7	13.4	14.6	15.1

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.5%	18.5%	6.8%	9.7%	17.7%	21.8%
Grade 7	36.6%	33.5%	5.1%	8.9%	7.4%	8.4%
Grade 8	27.3%	25.5%	9.2%	8.1%	16.0%	13.8%
Grade 9	23.4%	19.5%	8.5%	13.0%	23.3%	12.3%
Grade 10	22.7%	11.6%	8.1%	8.8%	24.9%	23.9%
Grade 11	23.6%	10.6%	3.9%	12.6%	20.5%	28.8%
Grade 12	17.4%	6.4%	5.5%	6.4%	14.2%	50.2%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	64.8%	21.5%	9.0%	3.8%	1.0%
Grade 7	85.1%	11.7%	2.0%	0.9%	0.3%
Grade 8	74.2%	17.4%	5.2%	2.9%	0.3%
Grade 9	65.3%	22.9%	7.5%	3.8%	0.5%
Grade 10	58.3%	21.4%	12.3%	5.5%	2.5%
Grade 11	54.7%	27.9%	12.1%	3.8%	1.6%
Grade 12	46.3%	29.9%	16.7%	6.3%	0.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.6%	8.9%	6.2%	1.2%	0.7%	7.5%
Grade 7	79.5%	4.4%	2.8%	0.5%	0.7%	12.2%
Grade 8	81.9%	5.1%	4.1%	0.7%	1.0%	7.1%
Grade 9	76.8%	9.5%	4.0%	1.0%	0.5%	8.0%
Grade 10	76.2%	8.4%	6.9%	2.1%	0.6%	5.8%
Grade 11	70.6%	12.7%	9.4%	1.6%	0.2%	5.5%
Grade 12	66.1%	14.7%	11.3%	1.4%	1.0%	5.5%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	60.6%	26.0%	7.7%	1.4%	4.3%
	Grade 7	77.2%	15.0%	3.2%	0.9%	3.6%
	Grade 8	68.5%	21.9%	4.8%	1.2%	3.7%
	Grade 9	58.4%	29.8%	7.1%	0.6%	4.2%
	Grade 10	54.1%	32.1%	7.6%	2.0%	4.2%
	Grade 11	54.6%	28.0%	9.7%	1.4%	6.2%
	Grade 12	46.8%	31.1%	15.5%	2.4%	4.2%
Electronic Vapor Products?						
	All	59.3%	13.6%	12.4%	9.0%	5.6%
	Grade 7	75.0%	8.2%	5.2%	5.4%	6.2%
	Grade 8	62.1%	16.9%	9.8%	6.6%	4.7%
	Grade 9	55.7%	16.5%	14.7%	8.4%	4.7%
	Grade 10	56.6%	12.7%	14.0%	10.9%	5.8%
	Grade 11	53.3%	12.5%	15.7%	10.8%	7.5%
	Grade 12	50.5%	14.8%	16.5%	13.4%	4.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 5 of 125

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	33.5%	39.8%	59.7%	40.3%
Grade 7	18.7%	22.4%	43.6%	56.4%
Grade 8	29.2%	34.2%	55.1%	44.9%
Grade 9	31.0%	38.1%	60.3%	39.7%
Grade 10	36.7%	42.3%	62.5%	37.5%
Grade 11	43.1%	50.3%	68.5%	31.5%
Grade 12	46.4%	56.2%	71.8%	28.2%
Beer?				
All	16.0%	24.2%	50.3%	49.7%
Grade 7	6.3%	10.4%	35.6%	64.4%
Grade 8	14.6%	19.7%	46.2%	53.8%
Grade 9	13.0%	21.3%	51.4%	48.6%
Grade 10	18.5%	27.1%	51.4%	48.6%
Grade 11	20.8%	32.3%	58.5%	41.5%
Grade 12	25.5%	38.5%	62.0%	38.0%
Wine Coolers?				
All	11.5%	17.4%	37.1%	62.9%
Grade 7	3.8%	6.1%	19.8%	80.2%
Grade 8	9.6%	12.6%	29.8%	70.2%
Grade 9	9.4%	14.7%	35.0%	65.0%
Grade 10	14.4%	20.6%	41.4%	58.6%
Grade 11	16.8%	25.3%	49.4%	50.6%
Grade 12	16.9%	28.8%	52.0%	48.0%
Wine?				
All	8.2%	13.3%	35.1%	64.9%
Grade 7	4.5%	6.9%	26.2%	73.8%
Grade 8	9.3%	12.1%	32.2%	67.8%
Grade 9	6.7%	11.1%	34.5%	65.5%
Grade 10	7.9%	13.5%	34.5%	65.5%
Grade 11	8.9%	14.9%	38.8%	61.2%
Grade 12	12.8%	23.6%	46.7%	53.3%
Liquor?				
All	14.0%	21.3%	41.5%	58.5%
Grade 7	3.3%	6.7%	21.6%	78.4%
Grade 8	10.3%	15.1%	31.8%	68.2%
Grade 9	11.8%	18.3%	41.2%	58.8%
Grade 10	18.0%	26.3%	45.7%	54.3%
Grade 11	18.5%	27.9%	53.5%	46.5%
Grade 12	25.4%	37.8%	60.7%	39.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 125

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.0%	0.3%	2.4%	8.8%	12.8%	11.8%	9.9%
Grade 7	75.7%	0.0%	0.6%	2.3%	5.0%	8.3%	8.0%
Grade 8	61.6%	0.1%	1.4%	7.0%	9.5%	8.9%	11.4%
Grade 9	54.0%	0.5%	2.0%	8.0%	13.4%	12.3%	9.9%
Grade 10	48.6%	0.4%	3.6%	10.5%	13.2%	12.4%	11.3%
Grade 11	41.6%	0.1%	3.9%	12.3%	15.9%	15.4%	10.8%
Grade 12	37.5%	0.4%	3.6%	14.5%	22.0%	14.4%	7.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	54.2%	45.8%	12.6%	19.8%	13.4%
	Grade 7	67.6%	32.4%	3.6%	12.7%	16.1%
	Grade 8	58.7%	41.3%	7.8%	17.0%	16.4%
	Grade 9	52.2%	47.8%	10.5%	21.4%	15.9%
	Grade 10	53.3%	46.7%	13.4%	21.8%	11.5%
	Grade 11	47.0%	53.0%	18.7%	23.4%	10.8%
	Grade 12	43.4%	56.6%	24.7%	23.8%	8.1%
Wine Coolers						
	All	66.6%	33.4%	8.1%	18.6%	6.7%
	Grade 7	83.2%	16.8%	3.4%	5.8%	7.6%
	Grade 8	73.9%	26.1%	5.5%	13.3%	7.3%
	Grade 9	69.5%	30.5%	5.2%	18.3%	7.1%
	Grade 10	62.8%	37.2%	8.2%	22.0%	7.1%
	Grade 11	54.2%	45.8%	12.4%	25.9%	7.5%
	Grade 12	51.5%	48.5%	16.0%	29.6%	2.9%
Wine						
	All	69.7%	30.3%	3.1%	15.7%	11.5%
	Grade 7	77.6%	22.4%	1.6%	8.8%	12.0%
	Grade 8	73.5%	26.5%	3.6%	11.6%	11.3%
	Grade 9	68.5%	31.5%	2.4%	16.7%	12.5%
	Grade 10	70.4%	29.6%	1.9%	17.4%	10.3%
	Grade 11	66.2%	33.8%	3.4%	18.5%	11.9%
	Grade 12	59.6%	40.4%	6.4%	23.3%	10.7%
Liquor						
	All	61.8%	38.2%	9.0%	19.6%	9.5%
	Grade 7	80.9%	19.1%	2.2%	7.3%	9.6%
	Grade 8	72.3%	27.7%	5.2%	12.7%	9.9%
	Grade 9	61.7%	38.3%	7.7%	19.3%	11.4%
	Grade 10	58.1%	41.9%	10.8%	22.6%	8.5%
	Grade 11	50.2%	49.8%	13.4%	27.5%	8.9%
	Grade 12	42.8%	57.2%	17.0%	32.0%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	85.9%	4.9%	2.9%	2.9%	1.0%	2.3%
Grade 7	95.3%	1.8%	0.6%	0.3%	0.4%	1.5%
Grade 8	90.4%	3.8%	1.9%	1.7%	0.5%	1.7%
Grade 9	86.2%	4.5%	4.0%	2.1%	0.5%	2.7%
Grade 10	83.3%	5.7%	4.4%	3.0%	1.1%	2.5%
Grade 11	79.2%	7.6%	3.5%	5.5%	1.9%	2.4%
Grade 12	79.2%	6.8%	3.5%	5.8%	1.7%	3.0%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.3	10.7	11.7	12.6	13.7	14.5	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.6%	12.9%	7.3%	12.3%	21.2%	28.7%
Grade 7	30.6%	24.1%	8.5%	9.8%	13.9%	13.1%
Grade 8	18.9%	17.9%	6.9%	14.7%	18.3%	23.3%
Grade 9	15.2%	11.8%	8.2%	14.9%	21.5%	28.4%
Grade 10	14.0%	8.5%	7.9%	9.7%	25.2%	34.7%
Grade 11	14.5%	6.8%	5.2%	12.9%	22.3%	38.3%
Grade 12	10.7%	5.9%	6.6%	11.4%	27.5%	37.8%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.9%	3.0%	0.5%	0.6%
Grade 7	97.3%	2.0%	0.5%	0.1%
Grade 8	94.6%	4.1%	0.7%	0.6%
Grade 9	95.7%	2.8%	0.5%	1.0%
Grade 10	96.8%	2.0%	0.5%	0.8%
Grade 11	96.2%	2.8%	0.3%	0.7%
Grade 12	94.8%	4.4%	0.3%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.7
Average Days Conduct Problems Reported	
Alcohol Users	1.8
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	91.2%	7.2%	0.8%	0.8%
Grade 9	95.7%	4.0%	0.1%	0.3%
Grade 10	92.0%	5.2%	1.6%	1.2%
Grade 11	90.3%	7.9%	0.7%	1.1%
Grade 12	85.6%	12.8%	1.0%	0.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.1%	4.3%	0.3%	0.4%
Grade 7	98.1%	1.6%	0.0%	0.3%
Grade 8	94.7%	4.8%	0.2%	0.4%
Grade 9	93.8%	5.9%	0.1%	0.1%
Grade 10	93.4%	4.7%	0.6%	1.3%
Grade 11	95.8%	3.9%	0.3%	0.0%
Grade 12	94.4%	4.8%	0.5%	0.3%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	38.9%	27.6%	16.9%	13.0%	3.6%
Grade 7	68.6%	22.1%	6.1%	2.6%	0.6%
Grade 8	49.7%	26.9%	13.9%	6.6%	2.9%
Grade 9	34.2%	31.2%	19.3%	12.7%	2.6%
Grade 10	29.9%	31.4%	20.2%	15.0%	3.5%
Grade 11	24.7%	28.8%	18.6%	21.0%	6.9%
Grade 12	21.1%	25.1%	25.2%	23.0%	5.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	39.7%	8.0%	5.9%	11.8%	13.2%	2.2%	19.2%
Grade 7	62.2%	7.1%	4.6%	5.7%	2.9%	2.9%	14.7%
Grade 8	50.8%	9.5%	5.1%	7.8%	6.9%	2.4%	17.3%
Grade 9	36.3%	8.5%	5.8%	15.1%	10.8%	2.2%	21.2%
Grade 10	29.2%	7.5%	8.3%	13.2%	15.3%	2.7%	23.9%
Grade 11	29.6%	7.3%	5.7%	15.4%	22.7%	1.7%	17.4%
Grade 12	25.6%	7.8%	6.0%	14.7%	23.8%	1.0%	21.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	55.6%	20.8%	16.8%	5.0%	1.9%
	Grade 7	68.1%	16.0%	11.6%	3.0%	1.3%
	Grade 8	58.7%	17.2%	17.8%	4.7%	1.6%
	Grade 9	54.0%	23.4%	17.2%	3.7%	1.7%
	Grade 10	54.7%	22.2%	14.4%	6.5%	2.2%
	Grade 11	50.3%	23.2%	19.9%	4.6%	2.0%
	Grade 12	44.8%	23.8%	20.6%	7.9%	2.8%
Friends?						
	All	53.4%	15.0%	15.8%	11.8%	4.0%
	Grade 7	72.3%	16.5%	7.1%	3.9%	0.2%
	Grade 8	60.2%	18.7%	12.1%	6.0%	3.0%
	Grade 9	54.3%	16.5%	14.5%	11.1%	3.5%
	Grade 10	48.5%	12.6%	21.3%	13.3%	4.3%
	Grade 11	44.9%	10.7%	20.2%	18.9%	5.4%
	Grade 12	35.5%	13.9%	21.8%	20.0%	8.8%
A Store?						
	All	58.0%	32.7%	4.9%	3.2%	1.1%
	Grade 7	74.2%	23.3%	1.3%	1.2%	0.1%
	Grade 8	63.5%	30.4%	4.0%	1.5%	0.5%
	Grade 9	57.1%	37.3%	2.8%	1.1%	1.7%
	Grade 10	55.6%	33.3%	5.9%	3.9%	1.3%
	Grade 11	51.3%	33.9%	7.3%	6.2%	1.2%
	Grade 12	42.5%	39.9%	9.0%	6.6%	2.0%
Parties?						
	All	51.9%	13.8%	12.1%	13.2%	8.9%
	Grade 7	69.0%	16.0%	6.5%	6.9%	1.5%
	Grade 8	58.0%	17.5%	9.8%	8.0%	6.6%
	Grade 9	51.5%	14.4%	12.7%	13.7%	7.6%
	Grade 10	49.8%	11.3%	17.3%	12.6%	9.1%
	Grade 11	44.0%	10.2%	12.5%	18.5%	14.9%
	Grade 12	34.9%	12.8%	14.9%	21.6%	15.8%
Other Sources?						
	All	57.4%	21.9%	10.1%	6.0%	4.7%
	Grade 7	73.2%	16.9%	6.7%	1.9%	1.3%
	Grade 8	62.1%	21.0%	8.6%	4.0%	4.3%
	Grade 9	57.0%	22.8%	10.6%	5.5%	4.1%
	Grade 10	53.3%	22.6%	11.1%	8.1%	5.0%
	Grade 11	50.0%	24.2%	11.9%	7.4%	6.5%
	Grade 12	44.9%	24.8%	12.6%	10.1%	7.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.5%	16.4%	12.8%	4.1%	1.0%	7.2%
Grade 7	66.6%	12.0%	6.9%	1.6%	0.5%	12.5%
Grade 8	65.2%	12.5%	9.6%	4.2%	1.0%	7.5%
Grade 9	60.6%	14.9%	13.0%	3.7%	0.8%	7.0%
Grade 10	56.8%	17.7%	13.3%	4.8%	1.4%	6.0%
Grade 11	51.7%	19.4%	17.4%	6.4%	0.8%	4.4%
Grade 12	46.7%	24.0%	18.1%	4.5%	1.9%	4.9%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.2%	34.0%	13.5%	1.9%	3.5%
Grade 7	61.1%	26.0%	7.8%	1.7%	3.4%
Grade 8	47.7%	36.0%	11.6%	1.5%	3.2%
Grade 9	47.5%	33.5%	14.7%	1.8%	2.6%
Grade 10	44.3%	36.7%	13.4%	2.8%	2.9%
Grade 11	41.8%	34.6%	16.2%	2.1%	5.2%
Grade 12	37.8%	38.2%	18.5%	1.7%	3.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.3%	18.0%	23.9%	76.1%
Grade 7	5.9%	7.3%	9.4%	90.6%
Grade 8	11.9%	16.4%	20.6%	79.4%
Grade 9	11.7%	16.1%	20.1%	79.9%
Grade 10	15.0%	21.7%	28.7%	71.3%
Grade 11	19.7%	23.9%	32.3%	67.7%
Grade 12	17.2%	24.7%	36.1%	63.9%
Marijuana?				
All	12.8%	15.7%	22.3%	77.7%
Grade 7	5.5%	5.9%	7.6%	92.4%
Grade 8	11.9%	13.3%	17.6%	82.4%
Grade 9	11.5%	14.2%	18.4%	81.6%
Grade 10	14.4%	19.4%	27.3%	72.7%
Grade 11	18.6%	21.9%	31.6%	68.4%
Grade 12	16.6%	21.7%	34.9%	65.1%
Cocaine?				
All	1.6%	1.9%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.6%	97.4%
Grade 9	0.7%	1.4%	2.1%	97.9%
Grade 10	2.2%	2.6%	3.3%	96.7%
Grade 11	3.5%	3.5%	5.0%	95.0%
Grade 12	1.8%	2.0%	4.9%	95.1%
Crack?				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.9%	99.1%
Hallucinogens?				
All	0.9%	1.2%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.1%	1.5%	2.2%	97.8%
Grade 9	0.8%	0.9%	1.6%	98.4%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	1.2%	2.1%	3.8%	96.2%
Grade 12	1.5%	2.4%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 125

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.1%	1.4%	98.6%
Grade 8	0.6%	0.7%	1.9%	98.1%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.5%	98.5%
Ecstasy?				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.8%	2.0%	98.0%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.5%	1.5%	98.5%
Grade 11	0.6%	0.7%	1.9%	98.1%
Grade 12	1.0%	1.3%	2.7%	97.3%
Heroin?				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.3%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	1.1%	1.2%	2.0%	98.0%
Grade 9	0.1%	0.7%	1.1%	98.9%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.5%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 15 of 125

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.4%	3.1%	96.9%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	2.3%	3.2%	4.4%	95.6%
Grade 9	0.7%	1.2%	3.2%	96.8%
Grade 10	0.4%	0.6%	2.4%	97.6%
Grade 11	0.8%	1.0%	2.5%	97.5%
Grade 12	1.2%	1.4%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 16 of 125

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.7%	1.7%	1.8%	2.5%	3.4%	4.4%	4.4%
	Grade 7	94.3%	0.1%	0.8%	1.2%	1.6%	0.9%	1.2%
	Grade 8	86.0%	1.2%	2.1%	1.8%	2.2%	4.2%	2.5%
	Grade 9	83.6%	1.3%	1.5%	2.2%	3.4%	3.6%	4.4%
	Grade 10	78.0%	2.0%	1.7%	2.5%	4.5%	6.7%	4.6%
	Grade 11	73.2%	2.8%	2.3%	3.5%	4.4%	6.7%	7.1%
	Grade 12	72.1%	3.2%	2.6%	4.5%	5.1%	4.8%	7.7%
Cocaine?								
	All	97.9%	0.0%	0.2%	0.2%	0.5%	0.4%	0.7%
	Grade 7	99.4%	0.1%	0.1%	0.0%	0.2%	0.2%	0.0%
	Grade 8	98.5%	0.0%	0.2%	0.2%	0.1%	0.2%	0.8%
	Grade 9	98.7%	0.1%	0.0%	0.0%	0.5%	0.2%	0.5%
	Grade 10	97.4%	0.0%	0.7%	0.5%	0.2%	0.5%	0.7%
	Grade 11	96.4%	0.0%	0.1%	0.8%	1.2%	0.5%	0.9%
	Grade 12	96.8%	0.0%	0.1%	0.1%	0.7%	0.8%	1.4%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%
	Grade 11	99.5%	0.0%	0.0%	0.3%	0.0%	0.0%	0.3%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Steroids?								
	All	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 8	99.1%	0.1%	0.0%	0.0%	0.0%	0.3%	0.6%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.5%
	Grade 10	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 12	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.3%
Ecstasy?								
	All	98.9%	0.0%	0.0%	0.1%	0.2%	0.3%	0.5%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.0%	0.0%	0.0%	0.4%	0.2%	0.1%	0.2%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%
	Grade 10	98.7%	0.0%	0.0%	0.0%	0.2%	0.0%	1.1%
	Grade 11	98.5%	0.0%	0.0%	0.0%	0.1%	0.7%	0.7%
	Grade 12	97.8%	0.0%	0.0%	0.0%	0.5%	0.7%	1.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.6%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.5%	0.0%	0.1%	0.3%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.2%
	Grade 10	99.1%	0.0%	0.1%	0.2%	0.2%	0.0%	0.5%
	Grade 11	99.7%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.6%
Synthetic Marijuana?								
	All	97.9%	0.0%	0.2%	0.2%	0.3%	0.5%	0.8%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.1%	0.3%	0.4%
	Grade 8	97.4%	0.0%	0.5%	0.1%	1.0%	0.5%	0.4%
	Grade 9	97.9%	0.0%	0.3%	0.2%	0.2%	0.5%	0.8%
	Grade 10	98.1%	0.0%	0.0%	0.1%	0.1%	0.3%	1.3%
	Grade 11	97.6%	0.0%	0.0%	0.4%	0.2%	0.7%	1.0%
	Grade 12	97.4%	0.2%	0.1%	0.0%	0.4%	0.6%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.5	12.5	13.5	13.7	14.8	14.9
Cocaine	14.9	11.0	11.2	13.4	15.1	16.0	15.9
Crack	13.2	11.3	11.3	N/A	11.3	15.8	15.3
Steroids	12.9	11.7	11.4	14.2	14.1	15.2	12.4
Ecstasy	13.9	10.0	11.3	13.7	12.9	15.6	15.4
Heroin	11.3	10.0	11.6	11.0	11.3	N/A	N/A
Metham- phetamine	13.8	10.8	12.1	13.5	14.0	16.0	16.2
Synthetic Marijuana	13.6	11.6	12.4	13.2	13.6	15.1	14.6

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	26.2%	23.2%	9.5%	10.4%	12.8%	17.9%
	Grade 7	41.7%	37.5%	4.3%	5.8%	6.0%	4.7%
	Grade 8	28.2%	32.0%	11.9%	8.0%	8.5%	11.4%
	Grade 9	22.0%	24.6%	13.4%	10.9%	12.0%	17.0%
	Grade 10	23.0%	15.4%	8.4%	13.8%	17.6%	21.8%
	Grade 11	21.8%	13.4%	8.5%	12.4%	16.2%	27.7%
	Grade 12	18.0%	12.8%	10.7%	12.1%	18.0%	28.5%
Cocaine?							
	All	38.0%	32.2%	11.5%	7.9%	5.0%	5.4%
	Grade 7	47.2%	42.6%	4.1%	3.2%	1.5%	1.4%
	Grade 8	37.2%	41.7%	10.7%	4.9%	3.1%	2.4%
	Grade 9	33.7%	36.5%	14.6%	7.6%	3.4%	4.3%
	Grade 10	35.9%	23.9%	13.3%	11.5%	8.0%	7.3%
	Grade 11	37.9%	21.8%	14.7%	10.3%	5.8%	9.5%
	Grade 12	35.7%	23.1%	12.1%	10.9%	9.3%	8.9%
Crack?							
	All	40.7%	33.6%	11.6%	6.8%	3.6%	3.7%
	Grade 7	48.0%	42.3%	3.8%	3.1%	1.4%	1.4%
	Grade 8	39.0%	42.4%	10.2%	4.2%	1.9%	2.4%
	Grade 9	35.0%	36.8%	14.6%	8.2%	3.2%	2.1%
	Grade 10	40.3%	26.6%	12.9%	8.7%	6.0%	5.5%
	Grade 11	41.6%	24.5%	15.8%	8.9%	3.6%	5.7%
	Grade 12	40.6%	25.7%	13.4%	8.5%	5.8%	5.9%
Steroids?							
	All	43.1%	31.6%	11.8%	7.0%	2.9%	3.5%
	Grade 7	49.2%	40.0%	4.4%	3.7%	0.7%	2.0%
	Grade 8	40.7%	39.1%	11.2%	4.2%	2.5%	2.2%
	Grade 9	37.9%	34.4%	13.2%	8.7%	3.8%	2.0%
	Grade 10	44.3%	25.2%	12.3%	9.4%	4.1%	4.7%
	Grade 11	43.6%	23.7%	15.3%	9.0%	3.3%	5.0%
	Grade 12	43.1%	24.4%	15.7%	7.4%	3.5%	5.8%
Ecstasy?							
	All	50.1%	28.9%	10.0%	5.8%	2.4%	2.9%
	Grade 7	61.7%	31.3%	3.3%	2.1%	0.7%	0.9%
	Grade 8	49.8%	35.5%	8.7%	2.9%	1.6%	1.6%
	Grade 9	45.2%	33.3%	11.0%	6.7%	2.5%	1.3%
	Grade 10	48.8%	22.5%	12.4%	8.9%	3.5%	3.8%
	Grade 11	49.4%	23.4%	13.0%	8.0%	2.1%	4.1%
	Grade 12	44.2%	25.8%	12.4%	6.6%	4.6%	6.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	46.2%	34.0%	10.7%	4.6%	2.0%	2.4%
	Grade 7	55.4%	36.0%	4.8%	2.3%	0.6%	1.0%
	Grade 8	44.4%	40.5%	9.0%	2.7%	1.9%	1.5%
	Grade 9	39.8%	39.8%	10.8%	6.1%	2.3%	1.1%
	Grade 10	46.0%	28.1%	13.1%	5.9%	3.4%	3.5%
	Grade 11	46.0%	28.5%	14.6%	6.1%	1.3%	3.4%
	Grade 12	45.2%	29.3%	13.2%	4.8%	2.7%	4.8%
Methamphetamine?							
	All	47.3%	31.3%	11.2%	4.5%	2.8%	2.9%
	Grade 7	58.9%	33.2%	4.0%	2.1%	0.8%	1.0%
	Grade 8	44.4%	38.5%	8.7%	4.0%	2.1%	2.3%
	Grade 9	42.6%	36.7%	11.3%	6.0%	2.3%	1.2%
	Grade 10	44.7%	26.2%	14.8%	6.4%	4.1%	3.8%
	Grade 11	47.3%	25.2%	14.8%	5.0%	3.1%	4.7%
	Grade 12	45.1%	25.8%	14.8%	4.0%	5.1%	5.1%
Synthetic Marijuana?							
	All	46.5%	29.2%	9.6%	5.6%	4.2%	4.8%
	Grade 7	57.8%	32.2%	4.0%	2.3%	1.1%	2.5%
	Grade 8	44.8%	36.9%	7.8%	3.4%	3.8%	3.3%
	Grade 9	41.1%	33.0%	10.8%	7.0%	4.1%	4.1%
	Grade 10	44.0%	24.3%	11.8%	8.5%	5.9%	5.4%
	Grade 11	46.3%	23.0%	12.7%	7.4%	4.7%	5.9%
	Grade 12	44.6%	23.6%	11.7%	5.3%	6.5%	8.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.0%	3.0%	1.2%	1.8%
Grade 7	96.9%	2.1%	0.4%	0.6%
Grade 8	95.2%	2.5%	1.2%	1.1%
Grade 9	93.6%	3.9%	0.4%	2.1%
Grade 10	92.4%	3.1%	2.0%	2.5%
Grade 11	92.8%	3.2%	1.6%	2.4%
Grade 12	92.4%	3.3%	1.7%	2.5%
Attended Class While High from Use of Some Other Drug?				
All	97.6%	1.4%	0.5%	0.6%
Grade 7	98.6%	0.9%	0.3%	0.2%
Grade 8	96.4%	2.5%	0.4%	0.7%
Grade 9	97.3%	1.8%	0.2%	0.7%
Grade 10	97.1%	1.0%	0.9%	1.1%
Grade 11	98.5%	1.1%	0.2%	0.2%
Grade 12	97.5%	0.9%	0.8%	0.8%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	5.1
Marijuana Non-Users	3.8
	Average Days Conduct Problems Reported
Marijuana Users	3.5
Marijuana Non-Users	0.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.4%	3.7%	1.3%	1.6%
Grade 9	96.5%	2.6%	0.7%	0.2%
Grade 10	93.4%	3.2%	1.5%	2.0%
Grade 11	93.6%	2.4%	1.9%	2.2%
Grade 12	89.3%	7.1%	1.1%	2.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.7%	0.3%	0.4%
Grade 7	98.0%	1.6%	0.2%	0.2%
Grade 8	96.4%	3.0%	0.1%	0.4%
Grade 9	96.7%	2.7%	0.2%	0.5%
Grade 10	96.0%	3.2%	0.4%	0.4%
Grade 11	97.1%	2.2%	0.5%	0.3%
Grade 12	95.2%	3.6%	0.8%	0.3%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	59.2%	20.4%	10.0%	7.6%	2.8%
Grade 7	81.4%	11.8%	2.9%	3.3%	0.6%
Grade 8	69.1%	15.6%	7.5%	4.7%	3.1%
Grade 9	55.9%	24.0%	10.1%	7.5%	2.4%
Grade 10	49.9%	22.8%	16.4%	7.7%	3.2%
Grade 11	50.0%	21.7%	11.7%	11.9%	4.7%
Grade 12	44.6%	28.1%	12.3%	11.9%	3.1%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.1%	7.6%	4.5%	5.8%	5.0%	3.6%	19.4%
Grade 7	75.5%	3.1%	1.1%	2.5%	0.7%	2.5%	14.6%
Grade 8	65.3%	4.6%	3.1%	3.8%	3.1%	2.5%	17.6%
Grade 9	50.3%	9.0%	5.5%	5.9%	2.9%	4.9%	21.5%
Grade 10	42.4%	8.0%	5.4%	8.6%	6.3%	4.8%	24.4%
Grade 11	46.4%	10.0%	6.0%	7.4%	8.9%	4.2%	17.1%
Grade 12	40.3%	12.1%	6.2%	7.6%	9.5%	2.8%	21.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 23 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.8%	5.7%	5.3%	1.7%	1.7%	6.8%
Grade 7	80.4%	3.4%	2.3%	0.6%	1.6%	11.8%
Grade 8	83.0%	5.4%	1.9%	2.3%	1.7%	5.6%
Grade 9	80.3%	5.4%	5.4%	0.9%	0.9%	7.1%
Grade 10	77.8%	5.9%	6.8%	2.0%	2.2%	5.4%
Grade 11	74.5%	5.7%	9.0%	2.8%	2.4%	5.5%
Grade 12	75.8%	8.8%	7.3%	2.1%	1.5%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 24 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.8%	13.8%	10.4%	9.9%	4.1%
	Grade 7	80.6%	6.8%	5.6%	3.1%	3.9%
	Grade 8	65.2%	14.7%	8.7%	8.0%	3.4%
	Grade 9	64.1%	17.2%	8.5%	7.4%	2.8%
	Grade 10	55.5%	15.3%	12.6%	12.5%	4.1%
	Grade 11	51.1%	14.5%	12.8%	14.9%	6.7%
	Grade 12	49.6%	15.0%	15.8%	15.7%	3.7%
Cocaine?						
	All	90.0%	4.6%	0.7%	0.5%	4.2%
	Grade 7	92.1%	2.8%	0.4%	0.6%	4.1%
	Grade 8	90.8%	4.5%	0.5%	0.7%	3.5%
	Grade 9	92.1%	4.1%	0.8%	0.3%	2.6%
	Grade 10	87.4%	6.9%	1.1%	1.2%	3.5%
	Grade 11	86.4%	4.9%	0.9%	0.3%	7.4%
	Grade 12	90.3%	4.8%	0.4%	0.1%	4.5%
Crack?						
	All	90.5%	4.3%	0.2%	0.4%	4.5%
	Grade 7	91.8%	3.4%	0.1%	0.4%	4.3%
	Grade 8	91.1%	4.2%	0.1%	0.6%	3.9%
	Grade 9	92.1%	4.5%	0.3%	0.1%	3.0%
	Grade 10	88.7%	6.3%	0.2%	1.0%	3.8%
	Grade 11	87.8%	4.1%	0.3%	0.1%	7.7%
	Grade 12	91.1%	3.6%	0.3%	0.1%	4.9%
Ecstasy?						
	All	85.8%	5.2%	0.8%	0.5%	7.6%
	Grade 7	86.6%	3.4%	0.0%	0.4%	9.6%
	Grade 8	86.9%	4.7%	0.4%	0.5%	7.5%
	Grade 9	88.6%	4.4%	0.5%	0.6%	5.9%
	Grade 10	83.3%	6.6%	1.7%	0.7%	7.6%
	Grade 11	83.8%	6.3%	1.0%	0.0%	9.0%
	Grade 12	85.0%	6.6%	1.7%	1.0%	5.8%
Steroids?						
	All	80.0%	10.1%	2.4%	0.8%	6.7%
	Grade 7	83.4%	7.0%	1.7%	0.4%	7.6%
	Grade 8	79.9%	12.1%	1.9%	0.3%	5.7%
	Grade 9	81.5%	11.1%	2.1%	0.7%	4.6%
	Grade 10	77.7%	10.6%	2.2%	1.4%	8.0%
	Grade 11	76.0%	10.0%	3.7%	1.3%	9.0%
	Grade 12	81.3%	9.7%	3.0%	0.8%	5.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.9%	3.3%	0.1%	0.4%	6.3%
	Grade 7	88.9%	3.2%	0.0%	0.4%	7.5%
	Grade 8	89.3%	4.1%	0.2%	0.5%	5.8%
	Grade 9	91.1%	3.4%	0.1%	0.1%	5.3%
	Grade 10	89.1%	4.5%	0.0%	1.1%	5.3%
	Grade 11	88.8%	2.2%	0.0%	0.0%	9.0%
	Grade 12	92.6%	2.3%	0.4%	0.1%	4.6%
Methamphetamine?						
	All	89.6%	3.3%	0.2%	0.5%	6.4%
	Grade 7	88.5%	2.5%	0.0%	0.5%	8.5%
	Grade 8	90.5%	3.7%	0.1%	0.5%	5.1%
	Grade 9	90.2%	3.7%	0.2%	0.2%	5.8%
	Grade 10	88.3%	5.2%	0.0%	1.5%	5.0%
	Grade 11	88.2%	2.4%	0.3%	0.0%	9.1%
	Grade 12	92.1%	2.4%	0.4%	0.1%	4.9%
Synthetic Marijuana?						
	All	85.3%	5.5%	1.4%	0.6%	7.2%
	Grade 7	86.4%	3.6%	0.9%	0.6%	8.5%
	Grade 8	86.2%	5.3%	1.5%	1.0%	6.0%
	Grade 9	84.8%	5.6%	2.4%	0.1%	7.1%
	Grade 10	82.5%	8.4%	1.2%	1.3%	6.6%
	Grade 11	84.6%	4.8%	1.5%	0.0%	9.2%
	Grade 12	87.6%	5.7%	0.9%	0.6%	5.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.0%	10.6%	18.5%	81.5%
Grade 7	4.0%	8.0%	16.9%	83.1%
Grade 8	10.1%	15.6%	21.6%	78.4%
Grade 9	4.5%	8.1%	17.5%	82.5%
Grade 10	5.2%	9.7%	16.4%	83.6%
Grade 11	6.5%	11.6%	20.6%	79.4%
Grade 12	5.8%	10.4%	18.2%	81.8%
Codeine Cough Syrup?				
All	3.8%	7.2%	13.7%	86.3%
Grade 7	3.0%	5.7%	13.1%	86.9%
Grade 8	6.7%	10.9%	15.8%	84.2%
Grade 9	2.4%	5.2%	12.6%	87.4%
Grade 10	3.3%	6.3%	11.6%	88.4%
Grade 11	4.2%	8.5%	16.7%	83.3%
Grade 12	2.8%	6.3%	12.5%	87.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.9%	1.9%	3.9%	96.1%
Grade 7	0.7%	1.1%	1.7%	98.3%
Grade 8	0.7%	1.7%	2.6%	97.4%
Grade 9	0.6%	1.1%	1.8%	98.2%
Grade 10	1.3%	2.8%	5.9%	94.1%
Grade 11	1.3%	2.5%	5.8%	94.2%
Grade 12	0.9%	2.3%	6.2%	93.8%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.5%	2.4%	4.7%	95.3%
Grade 7	0.6%	1.0%	2.6%	97.4%
Grade 8	2.6%	4.2%	6.6%	93.4%
Grade 9	0.6%	2.0%	3.6%	96.4%
Grade 10	2.0%	2.6%	5.7%	94.3%
Grade 11	1.7%	1.8%	4.6%	95.4%
Grade 12	1.5%	2.9%	5.4%	94.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.0%	1.3%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	1.1%	1.8%	3.1%	96.9%
Grade 9	0.8%	1.3%	2.4%	97.6%
Grade 10	1.3%	1.5%	3.4%	96.6%
Grade 11	0.7%	0.8%	2.1%	97.9%
Grade 12	1.4%	1.7%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 27 of 125

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.6%	4.0%	7.3%	92.7%
Grade 7	2.1%	3.5%	7.9%	92.1%
Grade 8	4.0%	6.0%	8.9%	91.1%
Grade 9	1.9%	3.5%	7.0%	93.0%
Grade 10	2.9%	4.1%	7.4%	92.6%
Grade 11	1.9%	2.9%	5.2%	94.8%
Grade 12	2.8%	3.9%	6.6%	93.4%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.9%	1.4%	2.8%	97.2%
Grade 7	1.1%	2.3%	3.5%	96.5%
Grade 8	0.7%	1.1%	2.9%	97.1%
Grade 9	1.2%	1.6%	3.3%	96.7%
Grade 10	1.4%	1.6%	3.3%	96.7%
Grade 11	0.4%	1.0%	1.9%	98.1%
Grade 12	0.5%	0.7%	1.4%	98.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	80.2%	10.6%	2.2%	1.0%	6.0%
Grade 7	83.8%	7.7%	1.3%	0.8%	6.3%
Grade 8	81.6%	10.4%	1.7%	1.4%	4.9%
Grade 9	80.9%	11.7%	2.2%	1.1%	4.2%
Grade 10	77.2%	12.0%	2.7%	1.4%	6.5%
Grade 11	76.7%	10.8%	2.8%	1.0%	8.7%
Grade 12	80.1%	11.5%	2.8%	0.3%	5.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.5%	5.9%	12.4%	87.6%
Grade 7	6.1%	7.6%	13.9%	86.1%
Grade 8	6.6%	8.8%	17.1%	82.9%
Grade 9	6.6%	7.4%	15.4%	84.6%
Grade 10	1.4%	3.5%	9.0%	91.0%
Grade 11	3.1%	3.3%	7.8%	92.2%
Grade 12	2.4%	3.9%	9.8%	90.2%
Spray Paint?				
All	0.4%	0.6%	2.3%	97.7%
Grade 7	0.5%	1.2%	2.5%	97.5%
Grade 8	0.6%	0.7%	3.6%	96.4%
Grade 9	0.6%	0.9%	2.7%	97.3%
Grade 10	0.0%	0.4%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	0.2%	0.2%	1.1%	98.9%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.3%	4.4%	95.6%
Grade 7	1.1%	1.6%	4.9%	95.1%
Grade 8	1.7%	2.0%	7.7%	92.3%
Grade 9	1.6%	2.4%	5.9%	94.1%
Grade 10	0.0%	0.3%	2.7%	97.3%
Grade 11	0.6%	0.6%	2.7%	97.3%
Grade 12	0.6%	0.6%	1.7%	98.3%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.7%	1.8%	98.2%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.2%	0.4%	1.3%	98.7%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.4%	6.7%	93.3%
Grade 7	2.5%	3.7%	9.2%	90.8%
Grade 8	2.2%	4.6%	8.9%	91.1%
Grade 9	1.8%	2.2%	8.0%	92.0%
Grade 10	0.2%	0.7%	3.5%	96.5%
Grade 11	0.7%	1.0%	4.0%	96.0%
Grade 12	1.4%	2.0%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.4%	1.1%	98.9%
Grade 8	0.0%	0.5%	1.9%	98.1%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.6%	99.4%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.5%	1.0%	99.0%
Grade 8	0.4%	0.9%	2.2%	97.8%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.4%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.7%	0.8%	2.6%	97.4%
Grade 8	1.6%	1.7%	3.9%	96.1%
Grade 9	0.7%	1.1%	2.3%	97.7%
Grade 10	0.2%	0.5%	2.2%	97.8%
Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.8%	1.0%	1.6%	98.4%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	0.3%	0.8%	1.9%	98.1%
Grade 8	1.6%	1.8%	3.4%	96.6%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.1%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.2%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.1%	0.4%	0.6%	0.3%	1.2%
Grade 7	97.2%	0.0%	0.0%	0.5%	0.7%	0.5%	1.1%
Grade 8	95.9%	0.0%	0.2%	0.9%	0.5%	0.6%	1.9%
Grade 9	96.9%	0.0%	0.4%	0.4%	0.4%	0.2%	1.7%
Grade 10	97.2%	0.0%	0.0%	0.3%	0.8%	0.2%	1.6%
Grade 11	98.5%	0.4%	0.0%	0.3%	0.3%	0.2%	0.3%
Grade 12	98.6%	0.0%	0.0%	0.0%	0.8%	0.0%	0.5%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.8%	6.0%	2.8%	1.3%
Grade 7	87.9%	7.3%	3.4%	1.5%
Grade 8	86.5%	5.8%	4.5%	3.2%
Grade 9	86.3%	9.0%	3.8%	0.8%
Grade 10	93.0%	4.4%	2.1%	0.5%
Grade 11	93.7%	3.6%	1.9%	0.8%
Grade 12	92.7%	5.6%	0.5%	1.1%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.9	10.6	11.4	12.3	11.5	13.1	14.4

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.6%	0.1%	0.4%
Grade 7	99.2%	0.7%	0.1%	0.0%
Grade 8	98.7%	1.0%	0.1%	0.2%
Grade 9	98.4%	0.9%	0.2%	0.5%
Grade 10	98.7%	0.4%	0.0%	0.9%
Grade 11	99.9%	0.1%	0.0%	0.0%
Grade 12	99.1%	0.1%	0.0%	0.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.5
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	4.5
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.0%	5.1%	1.3%	0.3%	0.3%
Grade 7	92.0%	6.6%	0.8%	0.3%	0.3%
Grade 8	91.5%	4.9%	2.5%	0.4%	0.7%
Grade 9	90.2%	7.2%	1.6%	0.7%	0.3%
Grade 10	94.3%	5.5%	0.3%	0.0%	0.0%
Grade 11	96.1%	2.6%	1.1%	0.1%	0.1%
Grade 12	94.8%	3.4%	1.4%	0.4%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.9%	11.6%	2.7%	1.2%	6.6%
Grade 7	79.6%	9.7%	2.5%	1.4%	6.7%
Grade 8	77.7%	12.1%	2.5%	1.1%	6.5%
Grade 9	77.8%	13.4%	2.5%	0.9%	5.4%
Grade 10	77.1%	11.9%	3.4%	1.8%	5.7%
Grade 11	76.8%	9.5%	3.3%	1.1%	9.3%
Grade 12	78.2%	12.8%	2.0%	1.0%	6.1%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.3%	16.9%	4.7%	6.6%	9.2%	20.3%
Grade 7	49.4%	25.4%	4.5%	6.2%	5.4%	9.3%
Grade 8	41.6%	23.1%	5.5%	6.1%	7.4%	16.4%
Grade 9	37.6%	18.0%	5.1%	9.1%	10.6%	19.7%
Grade 10	40.3%	11.6%	4.7%	6.0%	12.5%	24.9%
Grade 11	43.5%	11.1%	4.9%	5.9%	8.5%	26.1%
Grade 12	41.0%	10.0%	3.6%	5.8%	11.5%	28.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 125

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

	Yes
A School Health Class	
All	40.5%
Grade 7	34.1%
Grade 8	51.1%
Grade 9	45.6%
Grade 10	35.7%
Grade 11	39.7%
Grade 12	35.2%
An Assembly Program	
All	50.0%
Grade 7	51.0%
Grade 8	55.3%
Grade 9	54.9%
Grade 10	42.5%
Grade 11	48.1%
Grade 12	47.0%
Guidance Counselor	
All	25.2%
Grade 7	30.3%
Grade 8	27.3%
Grade 9	26.3%
Grade 10	19.1%
Grade 11	23.0%
Grade 12	24.7%
School Nurse	
All	19.1%
Grade 7	25.8%
Grade 8	20.3%
Grade 9	18.5%
Grade 10	14.2%
Grade 11	17.4%
Grade 12	17.6%
Science or Social Studies Class	
All	26.0%
Grade 7	30.1%
Grade 8	29.1%
Grade 9	28.1%
Grade 10	20.8%
Grade 11	23.2%
Grade 12	24.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	13.9%
Grade 7	14.3%
Grade 8	12.7%
Grade 9	13.6%
Grade 10	10.6%
Grade 11	17.9%
Grade 12	14.2%
An Invited School Guest	
All	33.8%
Grade 7	35.0%
Grade 8	40.3%
Grade 9	33.6%
Grade 10	27.7%
Grade 11	34.8%
Grade 12	30.7%
Another Source at School	
All	27.3%
Grade 7	29.6%
Grade 8	28.5%
Grade 9	29.9%
Grade 10	22.4%
Grade 11	26.2%
Grade 12	26.5%
Any School Source	
All	68.6%
Grade 7	70.0%
Grade 8	78.5%
Grade 9	73.4%
Grade 10	61.4%
Grade 11	64.2%
Grade 12	61.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 125

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

	Yes
Counselor/Program In-School	
All	38.8%
Grade 7	53.1%
Grade 8	43.7%
Grade 9	37.8%
Grade 10	32.6%
Grade 11	30.5%
Grade 12	32.9%
School Nurse	
All	23.5%
Grade 7	35.3%
Grade 8	26.3%
Grade 9	20.5%
Grade 10	18.5%
Grade 11	18.7%
Grade 12	20.3%
Another Adult In School	
All	42.7%
Grade 7	48.5%
Grade 8	46.1%
Grade 9	42.0%
Grade 10	39.1%
Grade 11	40.5%
Grade 12	39.1%
Counselor/Program Outside-School	
All	40.3%
Grade 7	49.6%
Grade 8	42.8%
Grade 9	37.6%
Grade 10	36.7%
Grade 11	37.3%
Grade 12	36.9%
Your Parents	
All	71.4%
Grade 7	77.8%
Grade 8	74.9%
Grade 9	69.3%
Grade 10	66.7%
Grade 11	69.9%
Grade 12	69.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

	Yes
A Medical Doctor	
All	54.8%
Grade 7	68.1%
Grade 8	61.2%
Grade 9	51.5%
Grade 10	48.3%
Grade 11	48.6%
Grade 12	49.3%
Your Friends	
All	63.8%
Grade 7	52.8%
Grade 8	63.6%
Grade 9	62.8%
Grade 10	62.7%
Grade 11	67.8%
Grade 12	75.2%
Another Adult	
All	60.6%
Grade 7	60.8%
Grade 8	64.5%
Grade 9	60.8%
Grade 10	57.2%
Grade 11	60.4%
Grade 12	59.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	6.8%
Grade 7	7.6%
Grade 8	8.4%
Grade 9	7.3%
Grade 10	5.6%
Grade 11	5.4%
Grade 12	6.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.6%	19.6%	20.3%	39.9%	15.6%
Grade 7	5.8%	17.1%	19.5%	34.9%	22.8%
Grade 8	7.0%	21.4%	17.7%	39.2%	14.7%
Grade 9	4.0%	18.5%	21.4%	41.8%	14.3%
Grade 10	3.1%	22.0%	21.2%	42.5%	11.2%
Grade 11	4.4%	19.3%	20.5%	39.5%	16.4%
Grade 12	2.8%	19.7%	21.7%	42.3%	13.5%
Sometimes Carry Weapons?					
All	71.3%	17.4%	6.4%	3.4%	1.5%
Grade 7	85.4%	10.6%	2.6%	0.9%	0.5%
Grade 8	76.7%	13.4%	4.4%	3.3%	2.2%
Grade 9	68.1%	20.7%	6.2%	3.8%	1.2%
Grade 10	67.2%	19.5%	6.4%	4.8%	2.0%
Grade 11	63.3%	20.8%	10.7%	4.5%	0.7%
Grade 12	65.0%	20.2%	9.2%	3.1%	2.5%
Care About Making Good Grades?					
All	2.2%	11.2%	23.9%	41.1%	21.7%
Grade 7	2.5%	12.9%	25.3%	33.0%	26.2%
Grade 8	3.2%	13.9%	21.9%	38.3%	22.7%
Grade 9	2.3%	8.9%	26.4%	41.5%	20.9%
Grade 10	1.3%	11.5%	23.9%	47.1%	16.2%
Grade 11	1.5%	9.5%	22.6%	44.6%	21.8%
Grade 12	2.1%	9.9%	22.8%	43.1%	22.1%
Belong/Want to Belong to a Gang?					
All	83.7%	10.7%	3.1%	1.4%	1.1%
Grade 7	86.6%	8.5%	2.6%	1.1%	1.2%
Grade 8	80.1%	13.2%	3.3%	1.5%	1.8%
Grade 9	82.5%	11.8%	2.7%	1.5%	1.4%
Grade 10	82.8%	10.8%	3.9%	2.1%	0.4%
Grade 11	84.2%	9.4%	3.9%	1.8%	0.8%
Grade 12	86.3%	10.3%	2.4%	0.2%	0.9%
Wish They Could Drop Out of School?					
All	47.6%	29.7%	14.1%	5.5%	3.1%
Grade 7	54.4%	25.6%	11.1%	5.6%	3.3%
Grade 8	50.5%	25.4%	14.9%	6.3%	2.9%
Grade 9	44.9%	35.2%	11.2%	6.4%	2.2%
Grade 10	40.3%	34.8%	17.1%	5.3%	2.6%
Grade 11	45.4%	31.0%	16.1%	4.5%	3.1%
Grade 12	49.5%	25.9%	14.6%	4.8%	5.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Table X-5: How Safe Do You Feel When You Are...

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?						
	All	88.4%	10.4%	0.7%	0.1%	0.4%
	Grade 7	85.3%	14.0%	0.3%	0.1%	0.3%
	Grade 8	85.6%	12.6%	1.1%	0.4%	0.4%
	Grade 9	87.1%	11.9%	0.7%	0.0%	0.3%
	Grade 10	88.6%	10.3%	0.8%	0.0%	0.4%
	Grade 11	92.5%	6.4%	0.6%	0.0%	0.6%
	Grade 12	92.5%	6.0%	0.4%	0.3%	0.8%
Out In Your Neighborhood?						
	All	52.2%	40.9%	4.5%	0.8%	1.6%
	Grade 7	43.7%	44.1%	8.2%	1.2%	2.8%
	Grade 8	48.0%	44.5%	5.0%	1.2%	1.4%
	Grade 9	51.8%	41.9%	3.9%	0.3%	2.1%
	Grade 10	52.5%	42.3%	3.9%	1.0%	0.4%
	Grade 11	55.3%	40.6%	2.4%	0.7%	1.0%
	Grade 12	64.8%	30.0%	2.9%	0.2%	2.2%
At School?						
	All	42.7%	43.4%	7.3%	3.3%	3.2%
	Grade 7	44.7%	39.8%	7.4%	3.0%	5.0%
	Grade 8	40.4%	41.4%	9.2%	5.3%	3.8%
	Grade 9	42.2%	46.3%	6.6%	2.2%	2.7%
	Grade 10	42.5%	46.1%	7.1%	2.6%	1.6%
	Grade 11	40.7%	45.5%	7.1%	3.7%	3.0%
	Grade 12	46.1%	41.4%	6.2%	3.2%	3.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.0%	21.8%	36.8%	63.2%
Grade 7	7.3%	8.8%	18.8%	81.2%
Grade 8	14.7%	17.1%	29.7%	70.3%
Grade 9	15.9%	19.2%	35.6%	64.4%
Grade 10	20.5%	25.3%	41.3%	58.7%
Grade 11	24.3%	29.9%	46.8%	53.2%
Grade 12	28.4%	34.3%	53.2%	46.8%
Any Alcohol Product				
All	33.5%	39.8%	59.7%	40.3%
Grade 7	18.7%	22.4%	43.6%	56.4%
Grade 8	29.2%	34.2%	55.1%	44.9%
Grade 9	31.0%	38.1%	60.3%	39.7%
Grade 10	36.7%	42.3%	62.5%	37.5%
Grade 11	43.1%	50.3%	68.5%	31.5%
Grade 12	46.4%	56.2%	71.8%	28.2%
Any Illicit Drug				
All	13.3%	18.0%	23.9%	76.1%
Grade 7	5.9%	7.3%	9.4%	90.6%
Grade 8	11.9%	16.4%	20.6%	79.4%
Grade 9	11.7%	16.1%	20.1%	79.9%
Grade 10	15.0%	21.7%	28.7%	71.3%
Grade 11	19.7%	23.9%	32.3%	67.7%
Grade 12	17.2%	24.7%	36.1%	63.9%
Any Prescription Drug				
All	6.0%	10.6%	18.5%	81.5%
Grade 7	4.0%	8.0%	16.9%	83.1%
Grade 8	10.1%	15.6%	21.6%	78.4%
Grade 9	4.5%	8.1%	17.5%	82.5%
Grade 10	5.2%	9.7%	16.4%	83.6%
Grade 11	6.5%	11.6%	20.6%	79.4%
Grade 12	5.8%	10.4%	18.2%	81.8%
Any Inhalant				
All	4.5%	5.9%	12.4%	87.6%
Grade 7	6.1%	7.6%	13.9%	86.1%
Grade 8	6.6%	8.8%	17.1%	82.9%
Grade 9	6.6%	7.4%	15.4%	84.6%
Grade 10	1.4%	3.5%	9.0%	91.0%
Grade 11	3.1%	3.3%	7.8%	92.2%
Grade 12	2.4%	3.9%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.8%	16.3%	29.7%	70.3%
Grade 7	4.8%	6.1%	13.8%	86.2%
Grade 8	11.2%	13.5%	23.8%	76.2%
Grade 9	9.6%	14.0%	30.3%	69.7%
Grade 10	12.8%	17.5%	33.5%	66.5%
Grade 11	17.0%	24.9%	40.1%	59.9%
Grade 12	17.1%	24.5%	39.9%	60.1%
Marijuana				
All	12.8%	15.7%	22.3%	77.7%
Grade 7	5.5%	5.9%	7.6%	92.4%
Grade 8	11.9%	13.3%	17.6%	82.4%
Grade 9	11.5%	14.2%	18.4%	81.6%
Grade 10	14.4%	19.4%	27.3%	72.7%
Grade 11	18.6%	21.9%	31.6%	68.4%
Grade 12	16.6%	21.7%	34.9%	65.1%
Marijuana Only				
All	7.9%	10.2%	15.6%	84.4%
Grade 7	3.4%	3.7%	5.4%	94.6%
Grade 8	6.6%	7.7%	10.7%	89.3%
Grade 9	7.6%	9.8%	13.7%	86.3%
Grade 10	9.9%	13.9%	20.9%	79.1%
Grade 11	11.7%	14.2%	21.9%	78.1%
Grade 12	8.8%	13.5%	24.0%	76.0%
Cocaine or Crack				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.3%	1.4%	2.8%	97.2%
Grade 9	0.8%	1.5%	2.2%	97.8%
Grade 10	2.2%	2.6%	3.3%	96.7%
Grade 11	3.6%	3.6%	5.1%	94.9%
Grade 12	1.8%	2.0%	5.2%	94.8%
Cocaine				
All	1.6%	1.9%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.6%	97.4%
Grade 9	0.7%	1.4%	2.1%	97.9%
Grade 10	2.2%	2.6%	3.3%	96.7%
Grade 11	3.5%	3.5%	5.0%	95.0%
Grade 12	1.8%	2.0%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.5%	0.7%	99.3%
	Grade 7	0.4%	0.4%	0.5%	99.5%
	Grade 8	1.0%	1.0%	1.2%	98.8%
	Grade 9	0.3%	0.3%	0.4%	99.6%
	Grade 10	0.4%	0.4%	0.4%	99.6%
	Grade 11	0.6%	0.6%	0.8%	99.2%
	Grade 12	0.2%	0.2%	0.9%	99.1%
Hallucinogens	All	0.9%	1.2%	2.2%	97.8%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	1.1%	1.5%	2.2%	97.8%
	Grade 9	0.8%	0.9%	1.6%	98.4%
	Grade 10	0.5%	0.7%	1.4%	98.6%
	Grade 11	1.2%	2.1%	3.8%	96.2%
	Grade 12	1.5%	2.4%	4.4%	95.6%
Synthetic Cathinones	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.6%	0.6%	1.3%	98.7%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.3%	1.3%	98.7%
	Grade 7	0.0%	0.1%	1.4%	98.6%
	Grade 8	0.6%	0.7%	1.9%	98.1%
	Grade 9	0.5%	0.7%	1.2%	98.8%
	Grade 10	0.1%	0.1%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.3%	0.3%	1.5%	98.5%
Ecstasy	All	0.5%	0.6%	1.5%	98.5%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.6%	0.8%	2.0%	98.0%
	Grade 9	0.5%	0.5%	1.3%	98.7%
	Grade 10	0.2%	0.5%	1.5%	98.5%
	Grade 11	0.6%	0.7%	1.9%	98.1%
	Grade 12	1.0%	1.3%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.6%	99.4%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.3%	0.7%	1.4%	98.6%
	Grade 9	0.0%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.0%	1.4%	3.1%	96.9%
	Grade 7	0.7%	0.7%	1.4%	98.6%
	Grade 8	2.3%	3.2%	4.4%	95.6%
	Grade 9	0.7%	1.2%	3.2%	96.8%
	Grade 10	0.4%	0.6%	2.4%	97.6%
	Grade 11	0.8%	1.0%	2.5%	97.5%
	Grade 12	1.2%	1.4%	4.6%	95.4%
Methamphetamine					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.5%	0.6%	0.7%	99.3%
	Grade 8	1.1%	1.2%	2.0%	98.0%
	Grade 9	0.1%	0.7%	1.1%	98.9%
	Grade 10	0.7%	0.7%	0.9%	99.1%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.4%	0.5%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 43 of 125

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.1%	26.1%	40.3%	59.7%
Grade 7	8.3%	9.8%	20.2%	79.8%
Grade 8	15.9%	17.7%	31.8%	68.2%
Grade 9	19.4%	23.7%	39.9%	60.1%
Grade 10	27.5%	33.5%	46.5%	53.5%
Grade 11	26.9%	33.7%	48.7%	51.3%
Grade 12	41.7%	45.6%	63.6%	36.4%
Any Alcohol Product				
All	36.3%	42.5%	60.6%	39.4%
Grade 7	22.1%	25.9%	46.2%	53.8%
Grade 8	28.6%	34.0%	53.1%	46.9%
Grade 9	33.3%	40.9%	62.9%	37.1%
Grade 10	39.9%	44.6%	63.3%	36.7%
Grade 11	46.4%	54.3%	67.7%	32.3%
Grade 12	54.6%	63.1%	76.7%	23.3%
Any Illicit Drug				
All	14.9%	19.1%	25.7%	74.3%
Grade 7	6.1%	7.4%	10.0%	90.0%
Grade 8	11.6%	15.9%	19.4%	80.6%
Grade 9	12.8%	16.4%	21.8%	78.2%
Grade 10	20.2%	28.0%	36.4%	63.6%
Grade 11	21.2%	25.3%	33.3%	66.7%
Grade 12	21.1%	26.0%	40.7%	59.3%
Any Prescription Drug				
All	6.5%	11.7%	20.2%	79.8%
Grade 7	3.5%	9.1%	15.4%	84.6%
Grade 8	9.1%	14.1%	19.2%	80.8%
Grade 9	5.9%	8.8%	19.5%	80.5%
Grade 10	6.2%	11.9%	20.8%	79.2%
Grade 11	6.7%	12.1%	23.9%	76.1%
Grade 12	8.3%	15.1%	24.5%	75.5%
Any Inhalant				
All	4.5%	5.8%	12.4%	87.6%
Grade 7	6.4%	8.0%	13.0%	87.0%
Grade 8	6.2%	7.7%	16.2%	83.8%
Grade 9	6.5%	7.8%	16.5%	83.5%
Grade 10	0.5%	2.0%	5.9%	94.1%
Grade 11	2.7%	3.3%	8.4%	91.6%
Grade 12	3.6%	4.9%	12.7%	87.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.4%	18.0%	32.4%	67.6%
Grade 7	5.4%	7.0%	15.4%	84.6%
Grade 8	11.7%	13.7%	25.1%	74.9%
Grade 9	11.7%	16.1%	34.2%	65.8%
Grade 10	13.8%	19.4%	37.6%	62.4%
Grade 11	19.2%	27.2%	40.3%	59.7%
Grade 12	22.0%	29.4%	48.0%	52.0%
Marijuana				
All	14.3%	17.0%	24.5%	75.5%
Grade 7	6.1%	6.4%	8.3%	91.7%
Grade 8	11.5%	12.6%	17.2%	82.8%
Grade 9	12.6%	15.3%	20.8%	79.2%
Grade 10	19.5%	25.4%	35.4%	64.6%
Grade 11	19.6%	23.7%	33.3%	66.7%
Grade 12	19.6%	22.9%	39.0%	61.0%
Marijuana Only				
All	8.2%	10.6%	16.4%	83.6%
Grade 7	3.8%	4.1%	5.8%	94.2%
Grade 8	5.9%	6.8%	9.8%	90.2%
Grade 9	7.0%	9.0%	14.2%	85.8%
Grade 10	13.4%	19.3%	28.1%	71.9%
Grade 11	11.5%	14.6%	20.8%	79.2%
Grade 12	9.6%	11.8%	24.2%	75.8%
Cocaine or Crack				
All	2.0%	2.5%	4.2%	95.8%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	1.6%	1.9%	3.8%	96.2%
Grade 9	0.6%	1.9%	3.1%	96.9%
Grade 10	3.8%	4.1%	4.8%	95.2%
Grade 11	4.2%	4.2%	6.5%	93.5%
Grade 12	2.1%	2.5%	7.5%	92.5%
Cocaine				
All	1.9%	2.4%	4.1%	95.9%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.8%	1.8%	3.7%	96.3%
Grade 9	0.6%	1.9%	3.1%	96.9%
Grade 10	3.8%	4.1%	4.8%	95.2%
Grade 11	4.2%	4.2%	6.5%	93.5%
Grade 12	2.1%	2.5%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.5%	1.0%	99.0%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	1.3%	1.3%	1.7%	98.3%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.8%	0.8%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.0%	0.0%	1.7%	98.3%
Hallucinogens	All	1.1%	1.7%	3.1%	96.9%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	1.1%	1.8%	2.9%	97.1%
	Grade 9	0.9%	1.1%	2.3%	97.7%
	Grade 10	0.4%	0.8%	1.2%	98.8%
	Grade 11	1.2%	2.4%	5.0%	95.0%
	Grade 12	3.0%	4.4%	8.1%	91.9%
Synthetic Cathinones	All	0.2%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	1.2%	1.2%	1.5%	98.5%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.3%	98.7%
	Grade 7	0.0%	0.2%	1.8%	98.2%
	Grade 8	0.8%	0.9%	1.9%	98.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.3%	0.3%	1.4%	98.6%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.4%	0.4%	2.0%	98.0%
Ecstasy	All	0.4%	0.5%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.7%	2.1%	97.9%
	Grade 9	0.7%	0.7%	2.0%	98.0%
	Grade 10	0.4%	0.4%	1.8%	98.2%
	Grade 11	0.5%	0.5%	2.2%	97.8%
	Grade 12	0.8%	1.2%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.7%	1.5%	2.2%	97.8%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.2%	0.2%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.0%	1.3%	3.4%	96.6%
	Grade 7	0.9%	0.9%	1.9%	98.1%
	Grade 8	2.1%	3.1%	4.6%	95.4%
	Grade 9	0.3%	0.9%	4.1%	95.9%
	Grade 10	0.6%	0.6%	1.6%	98.4%
	Grade 11	1.2%	1.2%	3.3%	96.7%
	Grade 12	0.9%	0.9%	5.1%	94.9%
Methamphetamine					
	All	0.7%	0.9%	1.6%	98.4%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	1.5%	1.7%	2.4%	97.6%
	Grade 9	0.0%	0.7%	1.2%	98.8%
	Grade 10	1.5%	1.5%	1.5%	98.5%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.4%	0.4%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	17.8%	33.3%	66.7%
Grade 7	6.4%	7.9%	17.5%	82.5%
Grade 8	13.6%	16.4%	27.5%	72.5%
Grade 9	12.1%	14.4%	31.1%	68.9%
Grade 10	14.2%	17.9%	36.7%	63.3%
Grade 11	22.4%	26.9%	45.2%	54.8%
Grade 12	17.7%	25.1%	43.9%	56.1%
Any Alcohol Product				
All	30.9%	37.2%	58.9%	41.1%
Grade 7	15.4%	19.1%	41.6%	58.4%
Grade 8	29.8%	34.4%	57.1%	42.9%
Grade 9	28.5%	35.1%	57.6%	42.4%
Grade 10	33.7%	40.3%	62.0%	38.0%
Grade 11	40.7%	46.7%	69.4%	30.6%
Grade 12	38.8%	49.8%	67.5%	32.5%
Any Illicit Drug				
All	11.8%	16.9%	22.1%	77.9%
Grade 7	5.9%	7.4%	9.0%	91.0%
Grade 8	12.3%	17.0%	21.7%	78.3%
Grade 9	10.4%	15.7%	18.2%	81.8%
Grade 10	10.2%	15.9%	21.8%	78.2%
Grade 11	18.7%	22.7%	31.2%	68.8%
Grade 12	14.2%	23.9%	32.7%	67.3%
Any Prescription Drug				
All	5.5%	9.6%	16.8%	83.2%
Grade 7	4.6%	6.9%	18.7%	81.3%
Grade 8	11.0%	17.2%	23.9%	76.1%
Grade 9	3.1%	7.4%	15.5%	84.5%
Grade 10	4.4%	8.0%	12.1%	87.9%
Grade 11	5.9%	11.0%	17.5%	82.5%
Grade 12	3.8%	6.7%	13.2%	86.8%
Any Inhalant				
All	4.5%	6.0%	12.4%	87.6%
Grade 7	5.8%	7.2%	15.0%	85.0%
Grade 8	7.0%	9.8%	18.0%	82.0%
Grade 9	6.6%	6.7%	14.2%	85.8%
Grade 10	2.1%	4.8%	11.9%	88.1%
Grade 11	3.5%	3.5%	7.0%	93.0%
Grade 12	1.5%	3.2%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.2%	14.6%	27.0%	73.0%
Grade 7	4.2%	5.1%	12.1%	87.9%
Grade 8	10.7%	13.3%	22.5%	77.5%
Grade 9	7.2%	11.6%	26.2%	73.8%
Grade 10	11.5%	15.5%	29.8%	70.2%
Grade 11	15.0%	23.0%	40.1%	59.9%
Grade 12	13.3%	20.7%	32.7%	67.3%
Marijuana				
All	11.5%	14.5%	20.1%	79.9%
Grade 7	5.0%	5.4%	7.1%	92.9%
Grade 8	12.3%	14.0%	18.1%	81.9%
Grade 9	10.2%	13.0%	15.8%	84.2%
Grade 10	9.7%	13.8%	20.1%	79.9%
Grade 11	18.2%	20.8%	29.7%	70.3%
Grade 12	14.2%	21.0%	32.0%	68.0%
Marijuana Only				
All	7.6%	10.1%	14.9%	85.1%
Grade 7	3.1%	3.4%	5.0%	95.0%
Grade 8	7.3%	8.5%	11.6%	88.4%
Grade 9	8.2%	10.5%	13.2%	86.8%
Grade 10	7.0%	9.4%	15.0%	85.0%
Grade 11	12.3%	14.2%	22.4%	77.6%
Grade 12	8.2%	15.1%	24.0%	76.0%
Cocaine or Crack				
All	1.3%	1.3%	2.0%	98.0%
Grade 7	1.0%	1.1%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.3%	0.7%	1.5%	98.5%
Grade 11	3.1%	3.1%	3.9%	96.1%
Grade 12	1.6%	1.6%	3.3%	96.7%
Cocaine				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	1.0%	1.1%	1.1%	98.9%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.3%	0.7%	1.5%	98.5%
Grade 11	2.9%	2.9%	3.7%	96.3%
Grade 12	1.6%	1.6%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.3%	0.4%	0.4%	99.6%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens	All	0.6%	0.7%	1.3%	98.7%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	1.1%	1.1%	1.5%	98.5%
	Grade 9	0.7%	0.7%	0.9%	99.1%
	Grade 10	0.0%	0.0%	1.0%	99.0%
	Grade 11	1.2%	1.8%	2.7%	97.3%
	Grade 12	0.4%	0.7%	1.4%	98.6%
Synthetic Cathinones	All	0.1%	0.1%	0.4%	99.6%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.0%	0.0%	1.1%	98.9%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.4%	1.3%	98.7%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.5%	0.5%	2.0%	98.0%
	Grade 9	1.0%	1.4%	2.5%	97.5%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy	All	0.5%	0.6%	1.1%	98.9%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.9%	0.9%	1.9%	98.1%
	Grade 9	0.2%	0.2%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.6%	0.9%	1.7%	98.3%
	Grade 12	1.1%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.2%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.0%	1.4%	2.6%	97.4%
	Grade 7	0.6%	0.6%	0.9%	99.1%
	Grade 8	2.4%	3.3%	4.1%	95.9%
	Grade 9	1.0%	1.3%	2.1%	97.9%
	Grade 10	0.3%	0.5%	2.5%	97.5%
	Grade 11	0.4%	0.8%	1.9%	98.1%
	Grade 12	1.5%	1.9%	4.3%	95.7%
Methamphetamine					
	All	0.4%	0.4%	0.7%	99.3%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.7%	0.7%	1.5%	98.5%
	Grade 9	0.2%	0.5%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	0.6%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	17.8%	22.3%	35.7%	64.3%
	Grade 7	6.3%	6.8%	17.4%	82.6%
	Grade 8	10.6%	12.4%	23.4%	76.6%
	Grade 9	13.5%	18.4%	31.7%	68.3%
	Grade 10	23.8%	29.1%	40.9%	59.1%
	Grade 11	28.6%	36.4%	51.5%	48.5%
	Grade 12	26.0%	33.2%	52.2%	47.8%
Any Alcohol Product					
	All	28.3%	35.2%	57.7%	42.3%
	Grade 7	19.0%	20.8%	44.3%	55.7%
	Grade 8	20.4%	25.3%	51.2%	48.8%
	Grade 9	26.0%	35.8%	55.9%	44.1%
	Grade 10	30.7%	35.5%	56.9%	43.1%
	Grade 11	37.0%	45.7%	66.6%	33.4%
	Grade 12	38.6%	50.0%	73.7%	26.3%
Any Illicit Drug					
	All	9.0%	13.2%	17.4%	82.6%
	Grade 7	3.9%	4.4%	5.2%	94.8%
	Grade 8	5.9%	9.3%	11.7%	88.3%
	Grade 9	8.1%	12.5%	14.9%	85.1%
	Grade 10	10.6%	18.1%	19.5%	80.5%
	Grade 11	16.3%	18.9%	26.4%	73.6%
	Grade 12	10.0%	17.1%	29.0%	71.0%
Any Prescription Drug					
	All	4.8%	10.4%	17.8%	82.2%
	Grade 7	6.3%	12.8%	24.7%	75.3%
	Grade 8	7.2%	14.8%	18.9%	81.1%
	Grade 9	3.7%	7.7%	18.0%	82.0%
	Grade 10	3.0%	10.9%	15.8%	84.2%
	Grade 11	4.3%	9.2%	14.9%	85.1%
	Grade 12	4.4%	7.1%	14.2%	85.8%
Any Inhalant					
	All	3.5%	4.3%	9.2%	90.8%
	Grade 7	5.7%	5.9%	12.4%	87.6%
	Grade 8	5.6%	6.7%	10.8%	89.2%
	Grade 9	5.7%	5.7%	13.7%	86.3%
	Grade 10	0.5%	2.4%	5.9%	94.1%
	Grade 11	1.3%	1.7%	5.1%	94.9%
	Grade 12	1.4%	3.0%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 52 of 125

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	18.7%	29.7%	70.3%
Grade 7	4.4%	5.0%	13.5%	86.5%
Grade 8	8.0%	9.0%	17.1%	82.9%
Grade 9	11.9%	16.8%	29.1%	70.9%
Grade 10	17.8%	23.2%	34.8%	65.2%
Grade 11	21.4%	33.6%	48.7%	51.3%
Grade 12	19.0%	26.8%	37.7%	62.3%
Marijuana				
All	8.7%	11.2%	16.3%	83.7%
Grade 7	3.7%	4.0%	4.8%	95.2%
Grade 8	5.9%	6.3%	9.4%	90.6%
Grade 9	8.1%	10.7%	13.1%	86.9%
Grade 10	10.0%	14.8%	17.9%	82.1%
Grade 11	15.9%	17.6%	26.4%	73.6%
Grade 12	9.6%	15.0%	28.0%	72.0%
Marijuana Only				
All	5.1%	7.1%	11.1%	88.9%
Grade 7	2.1%	2.3%	3.1%	96.9%
Grade 8	4.1%	4.4%	6.8%	93.2%
Grade 9	5.4%	7.3%	9.3%	90.7%
Grade 10	6.7%	10.9%	13.4%	86.6%
Grade 11	7.3%	8.1%	14.7%	85.3%
Grade 12	5.2%	9.8%	20.6%	79.4%
Cocaine or Crack				
All	1.3%	1.6%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	2.4%	2.9%	2.9%	97.1%
Grade 11	4.3%	4.3%	5.1%	94.9%
Grade 12	0.5%	0.9%	3.8%	96.2%
Cocaine				
All	1.3%	1.6%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	2.4%	2.9%	2.9%	97.1%
Grade 11	4.3%	4.3%	5.1%	94.9%
Grade 12	0.5%	0.9%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens	All	0.8%	1.3%	2.3%	97.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.9%	1.5%	1.5%	98.5%
	Grade 11	2.2%	3.9%	7.4%	92.6%
	Grade 12	1.8%	2.3%	4.2%	95.8%
Synthetic Cathinones	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.4%	0.4%	1.5%	98.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.1%	98.9%
	Grade 7	0.0%	0.3%	1.8%	98.2%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.7%	1.1%	1.7%	98.3%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.5%	0.5%	0.9%	99.1%
Ecstasy	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.4%	0.7%	99.3%
	Grade 9	0.7%	0.7%	0.7%	99.3%
	Grade 10	0.0%	0.9%	2.3%	97.7%
	Grade 11	0.9%	0.9%	1.7%	98.3%
	Grade 12	1.4%	1.4%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.4%	0.4%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.7%	1.1%	2.6%	97.4%
	Grade 9	0.0%	0.0%	3.3%	96.7%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	1.2%	1.2%	1.6%	98.4%
	Grade 12	0.5%	0.5%	0.9%	99.1%
Methamphetamine					
	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	1.0%	1.0%	1.3%	98.7%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.7%	1.1%	98.9%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.5%	0.5%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.2%	19.0%	30.3%	69.7%
Grade 7	18.0%	18.0%	21.1%	78.9%
Grade 8	29.5%	29.5%	49.6%	50.4%
Grade 9	18.9%	18.9%	26.7%	73.3%
Grade 10	5.7%	13.1%	20.5%	79.5%
Grades 11-12	10.5%	15.9%	30.9%	69.1%
Any Alcohol Product				
All	35.1%	42.5%	53.9%	46.1%
Grade 7	30.2%	35.9%	35.9%	64.1%
Grade 8	46.2%	52.4%	61.5%	38.5%
Grade 9	26.7%	32.2%	61.1%	38.9%
Grade 10	27.4%	34.8%	50.9%	49.1%
Grades 11-12	41.1%	51.7%	57.1%	42.9%
Any Illicit Drug				
All	32.7%	35.7%	36.5%	63.5%
Grade 7	19.7%	22.6%	27.3%	72.7%
Grade 8	35.7%	42.0%	42.0%	58.0%
Grade 9	32.2%	32.2%	32.2%	67.8%
Grade 10	13.1%	20.5%	20.5%	79.5%
Grades 11-12	51.7%	51.7%	51.7%	48.3%
Any Prescription Drug				
All	10.0%	16.7%	29.4%	70.6%
Grade 7	2.9%	19.7%	22.6%	77.4%
Grade 8	23.0%	23.0%	35.6%	64.4%
Grade 9	11.1%	18.9%	24.4%	75.6%
Grade 10	0.0%	5.7%	5.7%	94.3%
Grades 11-12	10.8%	15.6%	47.7%	52.3%
Any Inhalant				
All	7.4%	9.9%	15.2%	84.8%
Grade 7	17.2%	17.2%	17.2%	82.8%
Grade 8	7.6%	13.8%	29.3%	70.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	7.4%	20.5%	79.5%
Grades 11-12	10.8%	10.8%	10.8%	89.2%
Electronic Vapor Products				
All	5.8%	11.4%	19.3%	80.7%
Grade 7	9.0%	9.0%	9.0%	91.0%
Grade 8	6.8%	13.5%	26.8%	73.2%
Grade 9	8.2%	8.2%	16.5%	83.5%
Grade 10	0.0%	7.4%	13.1%	86.9%
Grades 11-12	5.4%	15.9%	26.1%	73.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana					
	All	33.1%	34.4%	35.2%	64.8%
	Grade 7	21.1%	21.1%	26.2%	73.8%
	Grade 8	35.7%	35.7%	35.7%	64.3%
	Grade 9	32.2%	32.2%	32.2%	67.8%
	Grade 10	13.1%	20.5%	20.5%	79.5%
	Grades 11-12	51.7%	51.7%	51.7%	48.3%
Marijuana Only					
	All	24.3%	24.3%	25.1%	74.9%
	Grade 7	18.0%	18.0%	23.1%	76.9%
	Grade 8	18.9%	18.9%	18.9%	81.1%
	Grade 9	26.7%	26.7%	26.7%	73.3%
	Grade 10	7.4%	7.4%	7.4%	92.6%
	Grades 11-12	40.8%	40.8%	40.8%	59.2%
Cocaine or Crack					
	All	2.0%	2.0%	2.5%	97.5%
	Grade 7	0.0%	0.0%	2.9%	97.1%
	Grade 8	10.5%	10.5%	10.5%	89.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grades 11-12	0.0%	0.0%	0.0%	100.0%
Cocaine					
	All	0.6%	2.0%	2.5%	97.5%
	Grade 7	0.0%	0.0%	2.9%	97.1%
	Grade 8	2.9%	10.5%	10.5%	89.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grades 11-12	0.0%	0.0%	0.0%	100.0%
Crack					
	All	2.0%	2.0%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	10.5%	10.5%	10.5%	89.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grades 11-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.6%	1.6%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	3.0%	3.0%	3.0%	97.0%
	Grade 9	5.6%	5.6%	5.6%	94.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 57 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones				
All	1.5%	1.5%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	8.1%	8.1%	11.2%	88.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.5%	1.5%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	7.6%	7.6%	10.5%	89.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.0%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	10.5%	89.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	5.4%	94.6%
Heroin				
All	0.0%	1.5%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	7.6%	10.5%	89.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	3.0%	4.3%	7.6%	92.4%
Grade 7	0.0%	0.0%	3.1%	96.9%
Grade 8	8.1%	14.9%	17.9%	82.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	13.1%	86.9%
Grades 11-12	5.4%	5.4%	5.4%	94.6%
Methamphetamine				
All	1.5%	1.5%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	8.1%	8.1%	11.2%	88.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.0%	21.6%	37.8%	62.2%
Grade 7	7.1%	9.2%	19.5%	80.5%
Grade 8	16.0%	19.0%	32.2%	67.8%
Grade 9	17.0%	19.5%	38.0%	62.0%
Grade 10	19.5%	24.0%	42.8%	57.2%
Grade 11	22.5%	26.7%	44.8%	55.2%
Grade 12	30.0%	35.6%	55.3%	44.7%
Any Alcohol Product				
All	37.1%	42.8%	61.9%	38.1%
Grade 7	17.8%	22.7%	44.5%	55.5%
Grade 8	33.8%	39.1%	58.0%	42.0%
Grade 9	34.1%	39.9%	62.5%	37.5%
Grade 10	40.5%	45.6%	66.2%	33.8%
Grade 11	48.4%	54.2%	71.4%	28.6%
Grade 12	54.2%	62.5%	73.2%	26.8%
Any Illicit Drug				
All	14.6%	19.8%	27.2%	72.8%
Grade 7	6.1%	7.9%	10.6%	89.4%
Grade 8	13.9%	19.1%	24.5%	75.5%
Grade 9	12.3%	17.1%	22.5%	77.5%
Grade 10	16.5%	23.0%	34.1%	65.9%
Grade 11	19.0%	24.7%	35.1%	64.9%
Grade 12	22.4%	30.2%	42.1%	57.9%
Any Prescription Drug				
All	6.6%	10.4%	18.3%	81.7%
Grade 7	2.7%	4.1%	12.2%	87.8%
Grade 8	11.1%	16.2%	22.5%	77.5%
Grade 9	4.5%	7.5%	16.4%	83.6%
Grade 10	6.8%	9.2%	17.6%	82.4%
Grade 11	8.8%	13.7%	21.6%	78.4%
Grade 12	5.7%	12.3%	20.7%	79.3%
Any Inhalant				
All	5.0%	6.6%	14.3%	85.7%
Grade 7	5.8%	8.2%	14.9%	85.1%
Grade 8	7.2%	9.6%	19.8%	80.2%
Grade 9	8.1%	9.4%	17.8%	82.2%
Grade 10	2.2%	3.4%	9.8%	90.2%
Grade 11	3.2%	3.5%	9.5%	90.5%
Grade 12	2.7%	4.3%	12.2%	87.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 59 of 125

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	15.0%	30.4%	69.6%
Grade 7	4.7%	6.5%	14.3%	85.7%
Grade 8	13.9%	16.8%	28.4%	71.6%
Grade 9	8.0%	12.4%	32.2%	67.8%
Grade 10	10.5%	14.7%	34.2%	65.8%
Grade 11	14.8%	19.7%	35.0%	65.0%
Grade 12	14.8%	22.7%	42.2%	57.8%
Marijuana				
All	13.9%	17.1%	25.2%	74.8%
Grade 7	5.6%	5.8%	7.8%	92.2%
Grade 8	14.0%	16.2%	21.5%	78.5%
Grade 9	11.9%	14.9%	20.6%	79.4%
Grade 10	15.8%	21.0%	32.7%	67.3%
Grade 11	17.3%	22.0%	33.7%	66.3%
Grade 12	21.5%	26.3%	40.7%	59.3%
Marijuana Only				
All	8.4%	11.1%	17.7%	82.3%
Grade 7	3.3%	3.5%	5.3%	94.7%
Grade 8	7.5%	9.3%	12.6%	87.4%
Grade 9	7.3%	9.7%	15.2%	84.8%
Grade 10	10.6%	15.1%	25.5%	74.5%
Grade 11	11.8%	15.6%	25.2%	74.8%
Grade 12	11.1%	15.6%	26.5%	73.5%
Cocaine or Crack				
All	2.0%	2.2%	3.9%	96.1%
Grade 7	0.9%	1.0%	1.2%	98.8%
Grade 8	0.9%	0.9%	3.3%	96.7%
Grade 9	1.4%	2.3%	3.6%	96.4%
Grade 10	2.1%	2.4%	3.7%	96.3%
Grade 11	3.8%	3.8%	5.8%	94.2%
Grade 12	3.0%	3.0%	6.8%	93.2%
Cocaine				
All	1.8%	2.0%	3.7%	96.3%
Grade 7	0.9%	1.0%	1.0%	99.0%
Grade 8	0.6%	0.6%	3.0%	97.0%
Grade 9	1.3%	2.1%	3.4%	96.6%
Grade 10	2.1%	2.4%	3.7%	96.3%
Grade 11	3.6%	3.6%	5.5%	94.5%
Grade 12	3.0%	3.0%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 125

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.5%	0.8%	99.2%
	Grade 7	0.7%	0.8%	1.0%	99.0%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.5%	0.5%	0.7%	99.3%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.5%	0.5%	1.0%	99.0%
	Grade 12	0.4%	0.4%	1.4%	98.6%
Hallucinogens	All	0.9%	1.2%	2.2%	97.8%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	1.5%	2.2%	3.0%	97.0%
	Grade 9	0.9%	1.1%	2.0%	98.0%
	Grade 10	0.3%	0.3%	1.3%	98.7%
	Grade 11	0.7%	0.9%	1.6%	98.4%
	Grade 12	1.5%	2.7%	5.1%	94.9%
Synthetic Cathinones	All	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.4%	98.6%
	Grade 7	0.0%	0.0%	1.2%	98.8%
	Grade 8	0.4%	0.4%	1.7%	98.3%
	Grade 9	0.5%	0.5%	1.1%	98.9%
	Grade 10	0.3%	0.3%	0.8%	99.2%
	Grade 11	0.0%	0.0%	1.7%	98.3%
	Grade 12	0.3%	0.3%	2.2%	97.8%
Ecstasy	All	0.5%	0.6%	1.6%	98.4%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	1.2%	1.2%	2.0%	98.0%
	Grade 9	0.4%	0.4%	1.7%	98.3%
	Grade 10	0.3%	0.3%	1.2%	98.8%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.8%	1.4%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.0%	99.0%
	Grade 9	0.0%	0.2%	0.8%	99.2%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.3%	1.8%	3.6%	96.4%
	Grade 7	1.3%	1.3%	1.9%	98.1%
	Grade 8	2.8%	3.4%	4.2%	95.8%
	Grade 9	1.2%	2.2%	3.6%	96.4%
	Grade 10	0.8%	1.0%	2.0%	98.0%
	Grade 11	0.6%	1.0%	3.6%	96.4%
	Grade 12	1.0%	1.4%	7.1%	92.9%
Methamphetamine					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.3%	0.5%	0.5%	99.5%
	Grade 8	1.4%	1.4%	1.9%	98.1%
	Grade 9	0.2%	0.8%	1.2%	98.8%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.4%	0.6%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 62 of 125

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	13.7%	17.4%	30.7%	69.3%
	Grade 7	2.1%	2.2%	8.5%	91.5%
	Grade 8	10.8%	13.0%	18.4%	81.6%
	Grade 9	10.5%	14.3%	25.7%	74.3%
	Grade 10	15.6%	19.8%	36.1%	63.9%
	Grade 11	17.3%	22.1%	38.1%	61.9%
	Grade 12	22.7%	28.9%	50.8%	49.2%
Any Alcohol Product					
	All	28.2%	35.7%	57.5%	42.5%
	Grade 7	11.1%	12.9%	38.2%	61.8%
	Grade 8	23.4%	27.4%	47.2%	52.8%
	Grade 9	27.0%	35.9%	59.5%	40.5%
	Grade 10	31.1%	36.8%	54.7%	45.3%
	Grade 11	33.0%	42.2%	66.3%	33.7%
	Grade 12	39.3%	53.0%	74.2%	25.8%
Any Illicit Drug					
	All	7.5%	11.8%	17.0%	83.0%
	Grade 7	2.3%	2.8%	3.1%	96.9%
	Grade 8	6.7%	9.9%	11.3%	88.7%
	Grade 9	6.2%	9.6%	13.0%	87.0%
	Grade 10	5.7%	13.6%	20.2%	79.8%
	Grade 11	11.5%	14.6%	21.3%	78.7%
	Grade 12	11.2%	18.3%	29.2%	70.8%
Any Prescription Drug					
	All	4.1%	9.0%	14.8%	85.2%
	Grade 7	2.3%	5.5%	15.3%	84.7%
	Grade 8	8.9%	15.0%	18.0%	82.0%
	Grade 9	2.5%	6.4%	14.3%	85.7%
	Grade 10	3.1%	9.8%	13.2%	86.8%
	Grade 11	4.5%	10.1%	15.6%	84.4%
	Grade 12	3.4%	6.7%	12.7%	87.3%
Any Inhalant					
	All	2.0%	3.3%	8.5%	91.5%
	Grade 7	0.8%	2.6%	7.9%	92.1%
	Grade 8	3.8%	4.1%	11.7%	88.3%
	Grade 9	2.7%	2.9%	8.0%	92.0%
	Grade 10	1.2%	3.6%	7.6%	92.4%
	Grade 11	1.6%	1.9%	5.0%	95.0%
	Grade 12	2.1%	4.5%	11.0%	89.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 125

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	14.8%	25.3%	74.7%
Grade 7	0.9%	0.9%	7.1%	92.9%
Grade 8	7.5%	9.0%	12.6%	87.4%
Grade 9	8.7%	12.1%	20.7%	79.3%
Grade 10	11.8%	16.7%	30.2%	69.8%
Grade 11	14.0%	20.3%	35.0%	65.0%
Grade 12	17.6%	25.8%	41.0%	59.0%
Marijuana				
All	7.1%	10.1%	15.9%	84.1%
Grade 7	2.3%	2.3%	2.7%	97.3%
Grade 8	6.7%	8.0%	9.1%	90.9%
Grade 9	5.9%	8.0%	11.9%	88.1%
Grade 10	5.2%	10.2%	18.4%	81.6%
Grade 11	11.1%	13.5%	21.1%	78.9%
Grade 12	10.4%	16.3%	28.3%	71.7%
Marijuana Only				
All	4.4%	6.9%	12.0%	88.0%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	4.5%	5.7%	6.3%	93.7%
Grade 9	4.6%	6.7%	10.3%	89.7%
Grade 10	4.4%	8.4%	16.0%	84.0%
Grade 11	5.7%	7.5%	14.0%	86.0%
Grade 12	5.3%	10.8%	20.8%	79.2%
Cocaine or Crack				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.5%	0.8%	99.2%
Grade 11	2.7%	2.7%	3.0%	97.0%
Grade 12	1.4%	1.4%	3.6%	96.4%
Cocaine				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.5%	0.8%	99.2%
Grade 11	2.7%	2.7%	3.0%	97.0%
Grade 12	1.4%	1.4%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.4%	0.4%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.8%	0.8%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Hallucinogens	All	0.5%	1.1%	1.4%	98.6%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	0.8%	0.8%	0.9%	99.1%
	Grade 9	0.8%	0.8%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.8%	2.3%	3.4%	96.6%
	Grade 12	0.4%	2.2%	2.2%	97.8%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.4%	0.4%	99.6%
	Grade 8	0.4%	0.4%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.2%	1.3%	98.7%
	Grade 7	0.0%	0.4%	0.6%	99.4%
	Grade 8	0.0%	0.1%	1.7%	98.3%
	Grade 9	0.5%	0.5%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	2.1%	97.9%
	Grade 12	0.4%	0.4%	2.1%	97.9%
Ecstasy	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.6%	1.0%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	1.3%	1.3%	1.6%	98.4%
	Grade 12	0.4%	0.8%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.5%	0.6%	2.1%	97.9%
	Grade 7	0.8%	0.8%	1.4%	98.6%
	Grade 8	1.0%	1.6%	2.2%	97.8%
	Grade 9	0.2%	0.2%	1.5%	98.5%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	1.2%	98.8%
	Grade 12	1.4%	1.4%	5.1%	94.9%
Methamphetamine					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	0.4%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 125

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	20.5%	24.6%	40.4%	59.6%
	Grade 7	9.2%	11.3%	22.5%	77.5%
	Grade 8	16.6%	19.0%	35.4%	64.6%
	Grade 9	19.5%	22.7%	41.6%	58.4%
	Grade 10	23.3%	29.0%	45.0%	55.0%
	Grade 11	29.9%	36.6%	53.6%	46.4%
	Grade 12	34.7%	41.4%	58.4%	41.6%
Any Alcohol Product					
	All	36.1%	41.6%	60.7%	39.3%
	Grade 7	21.4%	25.6%	45.7%	54.3%
	Grade 8	32.6%	37.8%	59.3%	40.7%
	Grade 9	33.4%	39.4%	60.5%	39.5%
	Grade 10	39.7%	45.5%	68.8%	31.2%
	Grade 11	49.2%	55.1%	68.2%	31.8%
	Grade 12	53.3%	60.1%	71.4%	28.6%
Any Illicit Drug					
	All	16.7%	21.7%	28.0%	72.0%
	Grade 7	7.6%	8.8%	11.7%	88.3%
	Grade 8	14.4%	19.7%	25.2%	74.8%
	Grade 9	13.9%	19.3%	23.8%	76.2%
	Grade 10	21.5%	27.8%	35.0%	65.0%
	Grade 11	26.3%	31.5%	41.8%	58.2%
	Grade 12	23.7%	32.9%	43.8%	56.2%
Any Prescription Drug					
	All	7.1%	11.8%	20.7%	79.3%
	Grade 7	4.7%	9.3%	18.0%	82.0%
	Grade 8	10.8%	16.3%	23.3%	76.7%
	Grade 9	5.2%	8.8%	18.4%	81.6%
	Grade 10	7.1%	9.9%	18.7%	81.3%
	Grade 11	6.9%	12.2%	23.9%	76.1%
	Grade 12	8.7%	15.6%	24.1%	75.9%
Any Inhalant					
	All	5.9%	7.4%	14.9%	85.1%
	Grade 7	8.4%	9.7%	16.6%	83.4%
	Grade 8	7.9%	11.0%	19.9%	80.1%
	Grade 9	8.5%	9.5%	19.1%	80.9%
	Grade 10	1.7%	3.5%	10.5%	89.5%
	Grade 11	4.0%	4.0%	10.2%	89.8%
	Grade 12	2.1%	2.8%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 125

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.0%	17.7%	32.4%	67.6%
Grade 7	6.1%	8.0%	16.0%	84.0%
Grade 8	13.2%	15.8%	29.7%	70.3%
Grade 9	10.7%	15.9%	35.9%	64.1%
Grade 10	13.6%	18.6%	36.3%	63.7%
Grade 11	20.9%	30.4%	44.9%	55.1%
Grade 12	18.4%	25.4%	42.1%	57.9%
Marijuana				
All	16.2%	19.1%	25.9%	74.1%
Grade 7	6.9%	7.3%	9.7%	90.3%
Grade 8	14.4%	15.7%	21.7%	78.3%
Grade 9	13.9%	17.2%	21.6%	78.4%
Grade 10	20.8%	26.2%	33.8%	66.2%
Grade 11	24.7%	28.8%	40.4%	59.6%
Grade 12	23.3%	28.8%	42.1%	57.9%
Marijuana Only				
All	9.9%	12.3%	17.8%	82.2%
Grade 7	4.5%	4.7%	7.0%	93.0%
Grade 8	7.7%	8.6%	12.7%	87.3%
Grade 9	9.6%	12.1%	16.1%	83.9%
Grade 10	13.4%	18.0%	24.8%	75.2%
Grade 11	16.7%	19.7%	28.6%	71.4%
Grade 12	11.4%	16.1%	26.9%	73.1%
Cocaine or Crack				
All	2.1%	2.4%	4.0%	96.0%
Grade 7	1.0%	1.1%	1.5%	98.5%
Grade 8	1.8%	1.8%	3.7%	96.3%
Grade 9	0.4%	1.7%	2.5%	97.5%
Grade 10	4.0%	4.3%	5.1%	94.9%
Grade 11	4.0%	4.0%	6.4%	93.6%
Grade 12	2.3%	2.7%	6.7%	93.3%
Cocaine				
All	1.9%	2.3%	3.7%	96.3%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	0.9%	1.5%	3.4%	96.6%
Grade 9	0.3%	1.5%	2.4%	97.6%
Grade 10	4.0%	4.3%	5.1%	94.9%
Grade 11	3.8%	3.8%	6.2%	93.8%
Grade 12	2.3%	2.7%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	0.6%	0.9%	99.1%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	1.3%	1.3%	1.5%	98.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.4%	0.4%	1.8%	98.2%
Hallucinogens	All	1.2%	1.4%	2.8%	97.2%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	1.3%	1.9%	2.9%	97.1%
	Grade 9	0.9%	0.9%	2.0%	98.0%
	Grade 10	1.0%	1.4%	2.5%	97.5%
	Grade 11	1.7%	2.1%	4.2%	95.8%
	Grade 12	3.0%	3.0%	7.5%	92.5%
Synthetic Cathinones	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.8%	0.8%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.4%	1.4%	98.6%
	Grade 7	0.0%	0.0%	1.8%	98.2%
	Grade 8	0.9%	0.9%	2.1%	97.9%
	Grade 9	0.4%	0.7%	1.3%	98.7%
	Grade 10	0.3%	0.3%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	1.3%	98.7%
Ecstasy	All	0.5%	0.7%	2.0%	98.0%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.7%	0.7%	2.4%	97.6%
	Grade 9	0.6%	0.6%	1.4%	98.6%
	Grade 10	0.3%	0.9%	2.5%	97.5%
	Grade 11	0.0%	0.2%	2.5%	97.5%
	Grade 12	1.7%	2.1%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.9%	99.1%
	Grade 8	0.6%	1.2%	1.6%	98.4%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.3%	1.6%	3.5%	96.5%
	Grade 7	0.7%	0.7%	1.5%	98.5%
	Grade 8	3.0%	3.8%	5.1%	94.9%
	Grade 9	0.7%	0.9%	3.3%	96.7%
	Grade 10	0.6%	0.8%	3.5%	96.5%
	Grade 11	1.1%	1.5%	3.6%	96.4%
	Grade 12	1.3%	1.7%	5.1%	94.9%
Methamphetamine					
	All	0.7%	0.9%	1.4%	98.6%
	Grade 7	0.7%	0.7%	0.8%	99.2%
	Grade 8	1.8%	2.0%	2.5%	97.5%
	Grade 9	0.0%	0.6%	1.1%	98.9%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.4%	0.7%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 70 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	14.3%	17.8%	30.1%	69.9%
	Grade 7	5.3%	6.6%	12.5%	87.5%
	Grade 8	7.8%	10.6%	23.5%	76.5%
	Grade 9	11.3%	14.0%	26.3%	73.7%
	Grade 10	16.0%	20.0%	32.5%	67.5%
	Grade 11	20.4%	24.4%	39.0%	61.0%
	Grade 12	28.0%	34.9%	52.1%	47.9%
Any Alcohol Product					
	All	30.0%	36.2%	55.8%	44.2%
	Grade 7	15.7%	19.7%	41.4%	58.6%
	Grade 8	26.1%	31.2%	51.3%	48.7%
	Grade 9	23.2%	30.7%	53.5%	46.5%
	Grade 10	32.8%	36.9%	56.3%	43.7%
	Grade 11	39.9%	46.6%	63.0%	37.0%
	Grade 12	47.0%	56.9%	72.8%	27.2%
Any Illicit Drug					
	All	8.4%	12.3%	16.9%	83.1%
	Grade 7	4.2%	5.5%	6.1%	93.9%
	Grade 8	5.7%	9.1%	13.1%	86.9%
	Grade 9	5.3%	8.9%	11.9%	88.1%
	Grade 10	11.0%	15.7%	20.4%	79.6%
	Grade 11	14.0%	18.1%	24.1%	75.9%
	Grade 12	11.7%	18.7%	29.2%	70.8%
Any Prescription Drug					
	All	4.7%	8.4%	14.6%	85.4%
	Grade 7	3.2%	6.7%	15.2%	84.8%
	Grade 8	6.7%	12.7%	16.9%	83.1%
	Grade 9	2.5%	4.3%	10.7%	89.3%
	Grade 10	5.1%	9.2%	14.0%	86.0%
	Grade 11	5.7%	9.4%	17.5%	82.5%
	Grade 12	5.5%	8.4%	13.8%	86.2%
Any Inhalant					
	All	4.0%	5.0%	11.0%	89.0%
	Grade 7	4.9%	6.0%	12.0%	88.0%
	Grade 8	4.8%	6.1%	13.2%	86.8%
	Grade 9	6.2%	6.8%	13.2%	86.8%
	Grade 10	1.6%	3.5%	9.2%	90.8%
	Grade 11	3.0%	3.2%	7.6%	92.4%
	Grade 12	2.7%	4.1%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	13.6%	24.6%	75.4%
Grade 7	3.8%	5.1%	8.4%	91.6%
Grade 8	6.3%	8.0%	18.5%	81.5%
Grade 9	8.1%	11.1%	22.2%	77.8%
Grade 10	9.1%	12.8%	26.6%	73.4%
Grade 11	15.4%	20.9%	34.7%	65.3%
Grade 12	18.0%	26.6%	41.2%	58.8%
Marijuana				
All	7.9%	10.3%	15.4%	84.6%
Grade 7	3.7%	3.9%	4.4%	95.6%
Grade 8	5.6%	6.8%	10.7%	89.3%
Grade 9	5.0%	7.1%	10.5%	89.5%
Grade 10	10.8%	13.6%	19.1%	80.9%
Grade 11	13.0%	16.3%	23.5%	76.5%
Grade 12	10.8%	15.9%	27.8%	72.2%
Marijuana Only				
All	5.1%	7.2%	11.2%	88.8%
Grade 7	2.3%	2.5%	2.9%	97.1%
Grade 8	3.0%	3.9%	6.0%	94.0%
Grade 9	2.5%	4.5%	7.6%	92.4%
Grade 10	8.8%	11.6%	16.7%	83.3%
Grade 11	8.5%	11.6%	16.2%	83.8%
Grade 12	6.1%	10.5%	20.6%	79.4%
Cocaine or Crack				
All	1.3%	1.5%	2.2%	97.8%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	0.5%	1.0%	1.2%	98.8%
Grade 10	1.5%	1.5%	1.9%	98.1%
Grade 11	3.0%	3.0%	4.3%	95.7%
Grade 12	1.4%	1.7%	3.5%	96.5%
Cocaine				
All	1.2%	1.4%	2.2%	97.8%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.1%	0.7%	1.4%	98.6%
Grade 9	0.5%	1.0%	1.2%	98.8%
Grade 10	1.5%	1.5%	1.9%	98.1%
Grade 11	3.0%	3.0%	4.3%	95.7%
Grade 12	1.4%	1.7%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.4%	0.4%	99.6%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.9%	0.9%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Hallucinogens	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.7%	0.7%	0.9%	99.1%
	Grade 9	0.5%	0.5%	1.1%	98.9%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.7%	0.7%	2.6%	97.4%
	Grade 12	0.9%	1.9%	3.1%	96.9%
Synthetic Cathinones	All	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.1%	0.3%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.3%	1.0%	99.0%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	0.6%	0.6%	2.1%	97.9%
	Grade 9	0.6%	0.6%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.5%	0.5%	1.5%	98.5%
Ecstasy	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	1.6%	98.4%
	Grade 9	0.2%	0.2%	0.7%	99.3%
	Grade 10	0.0%	0.5%	0.5%	99.5%
	Grade 11	0.5%	0.5%	0.7%	99.3%
	Grade 12	0.6%	1.1%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.6%	1.2%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.6%	0.8%	1.9%	98.1%
	Grade 7	0.6%	0.6%	0.9%	99.1%
	Grade 8	1.1%	1.2%	1.9%	98.1%
	Grade 9	0.6%	1.0%	2.3%	97.7%
	Grade 10	0.0%	0.2%	0.8%	99.2%
	Grade 11	0.2%	0.3%	2.1%	97.9%
	Grade 12	1.3%	1.3%	3.4%	96.6%
Methamphetamine					
	All	0.3%	0.5%	0.6%	99.4%
	Grade 7	0.2%	0.4%	0.4%	99.6%
	Grade 8	1.3%	1.3%	1.3%	98.7%
	Grade 9	0.0%	0.3%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.3%	0.5%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	24.7%	29.0%	48.2%	51.8%
	Grade 7	10.9%	12.7%	29.7%	70.3%
	Grade 8	25.2%	26.8%	38.3%	61.7%
	Grade 9	25.3%	29.4%	53.7%	46.3%
	Grade 10	27.3%	33.4%	54.8%	45.2%
	Grade 11	32.3%	41.2%	62.2%	37.8%
	Grade 12	29.8%	33.8%	55.7%	44.3%
Any Alcohol Product					
	All	39.4%	46.0%	66.5%	33.5%
	Grade 7	24.2%	27.4%	48.0%	52.0%
	Grade 8	33.8%	38.9%	61.3%	38.7%
	Grade 9	44.7%	51.2%	72.5%	27.5%
	Grade 10	42.5%	50.6%	72.1%	27.9%
	Grade 11	50.6%	58.8%	79.4%	20.6%
	Grade 12	44.5%	54.4%	69.9%	30.1%
Any Illicit Drug					
	All	21.9%	27.9%	36.0%	64.0%
	Grade 7	8.9%	10.5%	15.2%	84.8%
	Grade 8	21.9%	28.2%	32.6%	67.4%
	Grade 9	23.7%	29.9%	34.7%	65.3%
	Grade 10	21.3%	31.0%	41.2%	58.8%
	Grade 11	31.0%	35.5%	48.9%	51.1%
	Grade 12	27.4%	35.7%	49.0%	51.0%
Any Prescription Drug					
	All	8.3%	14.5%	25.1%	74.9%
	Grade 7	5.4%	10.1%	18.9%	81.1%
	Grade 8	15.7%	20.5%	29.0%	71.0%
	Grade 9	8.4%	15.1%	30.2%	69.8%
	Grade 10	5.1%	10.5%	20.0%	80.0%
	Grade 11	8.2%	16.2%	27.4%	72.6%
	Grade 12	6.4%	14.3%	26.4%	73.6%
Any Inhalant					
	All	5.4%	7.5%	14.6%	85.4%
	Grade 7	8.3%	10.5%	17.4%	82.6%
	Grade 8	9.5%	13.2%	22.5%	77.5%
	Grade 9	7.5%	8.6%	19.4%	80.6%
	Grade 10	1.0%	3.5%	8.9%	91.1%
	Grade 11	3.3%	3.7%	8.4%	91.6%
	Grade 12	2.0%	3.7%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.3%	21.1%	38.6%	61.4%
Grade 7	6.5%	7.8%	22.8%	77.2%
Grade 8	19.0%	22.4%	31.8%	68.2%
Grade 9	12.7%	19.5%	45.9%	54.1%
Grade 10	18.2%	24.9%	44.1%	55.9%
Grade 11	20.5%	33.4%	51.9%	48.1%
Grade 12	16.0%	21.3%	38.5%	61.5%
Marijuana				
All	21.4%	25.3%	34.1%	65.9%
Grade 7	8.6%	9.3%	13.1%	86.9%
Grade 8	22.0%	23.7%	28.9%	71.1%
Grade 9	23.7%	27.8%	32.4%	67.6%
Grade 10	20.1%	28.4%	39.6%	60.4%
Grade 11	29.9%	33.3%	47.8%	52.2%
Grade 12	27.1%	32.4%	48.2%	51.8%
Marijuana Only				
All	12.8%	15.6%	23.2%	76.8%
Grade 7	5.4%	5.8%	9.6%	90.4%
Grade 8	12.3%	13.8%	18.3%	81.7%
Grade 9	17.1%	19.8%	24.2%	75.8%
Grade 10	11.5%	17.5%	27.2%	72.8%
Grade 11	18.2%	19.7%	33.4%	66.6%
Grade 12	13.8%	19.0%	30.4%	69.6%
Cocaine or Crack				
All	2.4%	2.8%	4.9%	95.1%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.9%	2.2%	4.7%	95.3%
Grade 9	1.4%	2.4%	4.1%	95.9%
Grade 10	3.4%	4.3%	5.4%	94.6%
Grade 11	4.8%	4.8%	6.8%	93.2%
Grade 12	2.6%	2.6%	8.2%	91.8%
Cocaine				
All	2.3%	2.7%	4.6%	95.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.7%	2.0%	4.5%	95.5%
Grade 9	1.2%	2.2%	3.9%	96.1%
Grade 10	3.4%	4.3%	5.4%	94.6%
Grade 11	4.5%	4.5%	6.4%	93.6%
Grade 12	2.6%	2.6%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	0.7%	1.2%	98.8%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	1.2%	1.2%	1.6%	98.4%
	Grade 9	0.5%	0.5%	0.7%	99.3%
	Grade 10	1.0%	1.0%	1.0%	99.0%
	Grade 11	0.8%	0.8%	1.5%	98.5%
	Grade 12	0.5%	0.5%	2.0%	98.0%
Hallucinogens	All	1.4%	2.2%	3.7%	96.3%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	1.9%	2.8%	4.2%	95.8%
	Grade 9	1.3%	1.7%	2.7%	97.3%
	Grade 10	0.4%	1.0%	2.8%	97.2%
	Grade 11	2.2%	4.9%	6.2%	93.8%
	Grade 12	2.8%	3.2%	6.8%	93.2%
Synthetic Cathinones	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.6%	0.6%	1.3%	98.7%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.8%	98.2%
	Grade 7	0.0%	0.0%	3.0%	97.0%
	Grade 8	0.5%	0.6%	1.6%	98.4%
	Grade 9	0.3%	0.8%	1.5%	98.5%
	Grade 10	0.4%	0.4%	2.1%	97.9%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.6%	98.4%
Ecstasy	All	0.8%	0.9%	2.7%	97.3%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	1.1%	1.4%	2.6%	97.4%
	Grade 9	1.0%	1.0%	2.4%	97.6%
	Grade 10	0.4%	0.4%	3.1%	96.9%
	Grade 11	0.7%	1.1%	4.4%	95.6%
	Grade 12	1.6%	1.6%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.1%	1.0%	99.0%
	Grade 7	0.2%	0.2%	1.8%	98.2%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 9	0.0%	0.3%	1.0%	99.0%
	Grade 10	0.3%	0.3%	1.3%	98.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.7%	2.4%	5.2%	94.8%
	Grade 7	1.1%	1.1%	2.3%	97.7%
	Grade 8	4.2%	6.4%	8.3%	91.7%
	Grade 9	0.7%	1.7%	5.1%	94.9%
	Grade 10	1.1%	1.1%	5.0%	95.0%
	Grade 11	1.9%	2.2%	3.4%	96.6%
	Grade 12	1.1%	1.6%	6.9%	93.1%
Methamphetamine					
	All	0.9%	1.1%	2.2%	97.8%
	Grade 7	1.0%	1.0%	1.3%	98.7%
	Grade 8	1.0%	1.2%	3.1%	96.9%
	Grade 9	0.4%	1.4%	2.0%	98.0%
	Grade 10	1.7%	1.7%	2.4%	97.6%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.5%	0.5%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 78 of 125

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	16.2%	19.8%	34.3%	65.7%
	Grade 7	4.9%	6.4%	15.1%	84.9%
	Grade 8	12.5%	14.5%	27.5%	72.5%
	Grade 9	14.3%	17.5%	33.3%	66.7%
	Grade 10	18.2%	21.9%	38.1%	61.9%
	Grade 11	22.4%	28.6%	46.0%	54.0%
	Grade 12	27.5%	33.6%	50.5%	49.5%
Any Alcohol Product					
	All	31.0%	37.1%	58.0%	42.0%
	Grade 7	15.5%	18.2%	40.8%	59.2%
	Grade 8	26.6%	31.6%	53.1%	46.9%
	Grade 9	27.7%	34.9%	57.5%	42.5%
	Grade 10	33.5%	39.9%	61.2%	38.8%
	Grade 11	41.8%	48.8%	68.7%	31.3%
	Grade 12	45.3%	54.0%	70.1%	29.9%
Any Illicit Drug					
	All	10.8%	15.3%	21.0%	79.0%
	Grade 7	4.2%	5.3%	7.2%	92.8%
	Grade 8	8.7%	12.9%	16.5%	83.5%
	Grade 9	10.8%	14.9%	18.7%	81.3%
	Grade 10	10.7%	17.4%	25.0%	75.0%
	Grade 11	16.3%	20.4%	28.4%	71.6%
	Grade 12	15.6%	22.7%	33.8%	66.2%
Any Prescription Drug					
	All	5.8%	9.9%	17.1%	82.9%
	Grade 7	4.2%	7.4%	15.7%	84.3%
	Grade 8	9.3%	14.5%	19.5%	80.5%
	Grade 9	3.9%	7.6%	16.7%	83.3%
	Grade 10	5.5%	9.5%	15.0%	85.0%
	Grade 11	6.0%	10.8%	19.0%	81.0%
	Grade 12	6.0%	9.5%	16.7%	83.3%
Any Inhalant					
	All	4.1%	5.3%	11.4%	88.6%
	Grade 7	5.6%	6.9%	12.8%	87.2%
	Grade 8	6.4%	8.0%	16.0%	84.0%
	Grade 9	5.7%	6.6%	14.7%	85.3%
	Grade 10	1.4%	3.0%	7.9%	92.1%
	Grade 11	2.9%	3.2%	7.8%	92.2%
	Grade 12	1.7%	3.1%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 79 of 125

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	15.3%	28.1%	71.9%
Grade 7	3.2%	4.5%	10.7%	89.3%
Grade 8	9.9%	11.9%	22.8%	77.2%
Grade 9	9.8%	14.2%	29.0%	71.0%
Grade 10	11.8%	15.6%	31.6%	68.4%
Grade 11	16.0%	24.1%	39.9%	60.1%
Grade 12	15.9%	24.0%	38.5%	61.5%
Marijuana				
All	10.4%	13.2%	19.5%	80.5%
Grade 7	3.7%	4.0%	5.5%	94.5%
Grade 8	8.6%	9.9%	13.9%	86.1%
Grade 9	10.5%	13.3%	17.2%	82.8%
Grade 10	10.2%	14.8%	23.2%	76.8%
Grade 11	15.7%	18.7%	27.8%	72.2%
Grade 12	15.0%	20.5%	32.9%	67.1%
Marijuana Only				
All	6.7%	9.0%	14.3%	85.7%
Grade 7	2.3%	2.5%	3.9%	96.1%
Grade 8	4.7%	5.7%	8.3%	91.7%
Grade 9	7.5%	9.6%	13.3%	86.7%
Grade 10	7.4%	11.0%	18.8%	81.2%
Grade 11	11.0%	13.5%	20.8%	79.2%
Grade 12	8.2%	13.1%	23.4%	76.6%
Cocaine or Crack				
All	1.2%	1.4%	2.5%	97.5%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.8%	0.8%	2.2%	97.8%
Grade 9	0.7%	1.6%	2.4%	97.6%
Grade 10	1.6%	1.6%	2.0%	98.0%
Grade 11	2.2%	2.2%	3.4%	96.6%
Grade 12	1.3%	1.6%	4.5%	95.5%
Cocaine				
All	1.1%	1.4%	2.4%	97.6%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.7%	2.2%	97.8%
Grade 9	0.7%	1.6%	2.4%	97.6%
Grade 10	1.6%	1.6%	2.0%	98.0%
Grade 11	2.2%	2.2%	3.4%	96.6%
Grade 12	1.3%	1.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.2%	0.2%	1.0%	99.0%
Hallucinogens	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.9%	1.3%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.6%	0.6%	1.3%	98.7%
	Grade 11	1.0%	1.6%	3.3%	96.7%
	Grade 12	1.2%	1.9%	3.2%	96.8%
Synthetic Cathinones	All	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.5%	0.5%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.0%	99.0%
	Grade 7	0.0%	0.1%	0.9%	99.1%
	Grade 8	0.6%	0.6%	1.6%	98.4%
	Grade 9	0.6%	0.6%	0.8%	99.2%
	Grade 10	0.2%	0.2%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy	All	0.4%	0.5%	1.4%	98.6%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.2%	0.2%	1.3%	98.7%
	Grade 9	0.4%	0.4%	1.3%	98.7%
	Grade 10	0.2%	0.6%	1.2%	98.8%
	Grade 11	0.7%	0.8%	2.0%	98.0%
	Grade 12	0.9%	0.9%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.4%	0.9%	1.1%	98.9%
	Grade 9	0.0%	0.1%	0.3%	99.7%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.8%	1.1%	2.4%	97.6%
	Grade 7	0.5%	0.5%	0.9%	99.1%
	Grade 8	2.1%	2.9%	3.6%	96.4%
	Grade 9	0.4%	1.0%	2.9%	97.1%
	Grade 10	0.3%	0.5%	1.8%	98.2%
	Grade 11	0.3%	0.4%	1.4%	98.6%
	Grade 12	1.3%	1.3%	3.6%	96.4%
Methamphetamine					
	All	0.5%	0.7%	1.0%	99.0%
	Grade 7	0.5%	0.7%	0.7%	99.3%
	Grade 8	1.3%	1.3%	1.6%	98.4%
	Grade 9	0.1%	0.7%	1.1%	98.9%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.2%	0.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 82 of 125

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	29.9%	34.8%	52.7%	47.3%
	Grade 7	25.4%	27.1%	46.4%	53.6%
	Grade 8	29.8%	35.0%	46.2%	53.8%
	Grade 9	21.1%	24.1%	44.2%	55.8%
	Grade 10	32.0%	41.9%	58.3%	41.7%
	Grade 11	37.0%	40.6%	56.0%	44.0%
	Grade 12	35.8%	41.0%	68.0%	32.0%
Any Alcohol Product					
	All	49.5%	56.7%	70.9%	29.1%
	Grade 7	41.2%	49.5%	64.1%	35.9%
	Grade 8	47.3%	51.8%	69.1%	30.9%
	Grade 9	51.8%	56.5%	70.9%	29.1%
	Grade 10	51.4%	54.0%	70.3%	29.7%
	Grade 11	53.7%	62.7%	72.8%	27.2%
	Grade 12	50.5%	68.5%	80.2%	19.8%
Any Illicit Drug					
	All	27.9%	34.0%	39.9%	60.1%
	Grade 7	19.2%	23.2%	25.4%	74.6%
	Grade 8	32.4%	36.3%	42.4%	57.6%
	Grade 9	16.0%	22.3%	25.5%	74.5%
	Grade 10	33.6%	41.1%	45.7%	54.3%
	Grade 11	39.2%	44.7%	54.4%	45.6%
	Grade 12	26.4%	36.3%	47.5%	52.5%
Any Prescription Drug					
	All	7.1%	14.8%	25.9%	74.1%
	Grade 7	4.0%	13.6%	26.7%	73.3%
	Grade 8	15.4%	22.5%	32.1%	67.9%
	Grade 9	6.9%	9.5%	18.7%	81.3%
	Grade 10	4.7%	12.5%	23.4%	76.6%
	Grade 11	9.3%	17.6%	30.5%	69.5%
	Grade 12	1.5%	14.5%	25.4%	74.6%
Any Inhalant					
	All	6.4%	8.8%	16.9%	83.1%
	Grade 7	9.8%	13.5%	23.9%	76.1%
	Grade 8	7.8%	11.8%	23.0%	77.0%
	Grade 9	9.2%	9.2%	18.2%	81.8%
	Grade 10	1.6%	6.3%	13.8%	86.2%
	Grade 11	3.6%	3.6%	6.0%	94.0%
	Grade 12	7.8%	9.4%	18.2%	81.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	18.0%	23.3%	39.7%	60.3%
Grade 7	16.0%	17.6%	34.7%	65.3%
Grade 8	19.3%	23.8%	32.0%	68.0%
Grade 9	8.6%	12.5%	33.9%	66.1%
Grade 10	17.2%	26.6%	45.3%	54.7%
Grade 11	24.8%	33.1%	45.6%	54.4%
Grade 12	25.1%	27.5%	47.1%	52.9%
Marijuana				
All	27.0%	30.9%	37.7%	62.3%
Grade 7	18.9%	19.8%	22.0%	78.0%
Grade 8	32.4%	34.9%	40.2%	59.8%
Grade 9	16.0%	18.8%	21.9%	78.1%
Grade 10	33.6%	41.1%	45.7%	54.3%
Grade 11	35.5%	41.0%	52.7%	47.3%
Grade 12	24.9%	28.0%	44.2%	55.8%
Marijuana Only				
All	15.3%	18.6%	24.4%	75.6%
Grade 7	11.7%	12.6%	14.8%	85.2%
Grade 8	18.5%	21.0%	26.3%	73.7%
Grade 9	7.9%	10.7%	13.9%	86.1%
Grade 10	21.9%	28.3%	32.9%	67.1%
Grade 11	18.6%	21.6%	30.5%	69.5%
Grade 12	11.7%	14.8%	27.2%	72.8%
Cocaine or Crack				
All	4.6%	5.2%	6.5%	93.5%
Grade 7	3.2%	3.2%	4.3%	95.7%
Grade 8	3.9%	4.9%	5.7%	94.3%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	4.9%	7.0%	7.0%	93.0%
Grade 11	11.4%	11.4%	14.0%	86.0%
Grade 12	2.9%	2.9%	6.8%	93.2%
Cocaine				
All	4.3%	4.9%	6.2%	93.8%
Grade 7	3.2%	3.2%	4.3%	95.7%
Grade 8	3.6%	4.6%	5.3%	94.7%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	4.9%	7.0%	7.0%	93.0%
Grade 11	10.6%	10.6%	13.1%	86.9%
Grade 12	2.9%	2.9%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 84 of 125

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.7%	1.7%	2.3%	97.7%
	Grade 7	1.1%	1.1%	1.1%	98.9%
	Grade 8	3.2%	3.2%	4.6%	95.4%
	Grade 9	1.2%	1.2%	1.2%	98.8%
	Grade 10	1.3%	1.3%	1.3%	98.7%
	Grade 11	3.0%	3.0%	4.8%	95.2%
	Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens	All	1.8%	2.7%	4.7%	95.3%
	Grade 7	0.9%	0.9%	0.9%	99.1%
	Grade 8	2.8%	2.8%	6.6%	93.4%
	Grade 9	1.9%	1.9%	1.9%	98.1%
	Grade 10	0.0%	1.3%	2.3%	97.7%
	Grade 11	2.5%	5.3%	6.3%	93.7%
	Grade 12	3.0%	4.3%	12.3%	87.7%
Synthetic Cathinones	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.0%	0.9%	0.9%	99.1%
	Grade 8	1.7%	1.7%	4.7%	95.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.5%	0.8%	3.1%	96.9%
	Grade 7	0.0%	0.0%	5.0%	95.0%
	Grade 8	1.2%	1.2%	3.0%	97.0%
	Grade 9	0.0%	1.2%	4.3%	95.7%
	Grade 10	0.0%	0.0%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	2.7%	2.7%	3.8%	96.2%
Ecstasy	All	0.9%	1.2%	2.9%	97.1%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	3.4%	4.4%	7.2%	92.8%
	Grade 9	0.7%	0.7%	1.4%	98.6%
	Grade 10	0.0%	0.0%	3.2%	96.8%
	Grade 11	0.0%	0.0%	1.8%	98.2%
	Grade 12	1.7%	3.0%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.1%	0.1%	1.1%	98.9%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	3.9%	96.1%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	2.0%	2.8%	7.0%	93.0%
	Grade 7	2.6%	2.6%	5.8%	94.2%
	Grade 8	4.2%	6.0%	9.7%	90.3%
	Grade 9	1.0%	1.7%	4.3%	95.7%
	Grade 10	0.8%	0.8%	5.6%	94.4%
	Grade 11	3.6%	4.3%	9.3%	90.7%
	Grade 12	0.0%	1.6%	8.0%	92.0%
Methamphetamine					
	All	0.6%	0.8%	1.9%	98.1%
	Grade 7	0.7%	0.7%	1.6%	98.4%
	Grade 8	0.4%	1.1%	5.0%	95.0%
	Grade 9	0.0%	0.7%	0.7%	99.3%
	Grade 10	1.0%	1.0%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	1.5%	1.5%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 86 of 125

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	31,469	49.1%
Female	32,561	50.9%
Frequency Missing	370	

Hispanic or Latino

Q5a	Frequency	Percent
No	28,728	45.3%
Yes	34,700	54.7%
Frequency Missing	972	

Grade

Q2	Frequency	Percent
Grade 7	11,535	17.9%
Grade 8	11,317	17.6%
Grade 9	11,578	18.0%
Grade 10	10,595	16.5%
Grade 11	10,171	15.8%
Grade 12	9,105	14.2%
Frequency Missing	98	

Ethnicity

Q5b	Frequency	Percent
American Indian	1,891	3.1%
Asian American	281	0.5%
African American	3,631	6.0%
Pacific Islander	120	0.2%
White	30,615	50.7%
Other	15,491	25.6%
More Than One Race	8,396	13.9%
Frequency Missing	3,975	

Live with Both Parents

Q3	Frequency	Percent
No	23,440	36.7%
Yes	40,374	63.3%
Frequency Missing	587	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	148	0.2%
Mostly D's	620	1.0%
Mostly C's	6,947	11.5%
Mostly B's	28,701	47.5%
Mostly A's	23,961	39.7%
Frequency Missing	4,023	

Age

Q4	Frequency	Percent
11 or younger	62	0.1%
12	3,071	4.8%
13	10,157	15.8%
14	12,630	19.6%
15	11,419	17.8%
16	10,702	16.6%
17	10,499	16.3%
18	5,193	8.1%
19 or older	547	0.9%
Frequency Missing	119	

Do You Have a Job

Q7	Frequency	Percent
No	46,177	76.1%
Yes	14,491	23.9%
Frequency Missing	3,732	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 88 of 125

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	18,434	30.5%
Yes	21,099	34.9%
Don't Know	20,955	34.6%
Frequency Missing	3,911	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	43,667	87.5%
Yes	6,251	12.5%
Frequency Missing	14,482	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	20,231	35.0%
Yes	37,499	65.0%
Frequency Missing	6,670	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	34,594	66.3%
Yes	17,606	33.7%
Frequency Missing	12,200	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	33,966	64.2%
Yes	18,943	35.8%
Frequency Missing	11,491	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	36,274	70.9%
Yes	14,882	29.1%
Frequency Missing	13,244	

Participate in School Choir

Q9c	Frequency	Percent
No	45,623	91.6%
Yes	4,196	8.4%
Frequency Missing	14,582	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	34,408	65.5%
Yes	18,086	34.5%
Frequency Missing	11,906	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	45,417	90.9%
Yes	4,521	9.1%
Frequency Missing	14,463	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	37,866	74.1%
Yes	13,264	25.9%
Frequency Missing	13,270	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	56,598	88.4%
Somewhat Safe	6,667	10.4%
Not Very Safe	421	0.7%
Not Safe At All	82	0.1%
Don't Know	285	0.4%
Frequency Missing	346	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	5,812	9.4%
Some High School	7,780	12.5%
Finished High School	11,751	18.9%
Some College	9,531	15.3%
Finished College	14,868	23.9%
Post-Secondary	6,231	10.0%
Don't Know or N/A	6,151	9.9%
Frequency Missing	2,275	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	33,161	52.2%
Somewhat Safe	25,967	40.9%
Not Very Safe	2,828	4.5%
Not Safe At All	495	0.8%
Don't Know	1,045	1.6%
Frequency Missing	903	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	32,844	54.4%
Yes	27,517	45.6%
Frequency Missing	4,039	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	27,120	42.7%
Somewhat Safe	27,590	43.4%
Not Very Safe	4,657	7.3%
Not Safe At All	2,108	3.3%
Don't Know	2,045	3.2%
Frequency Missing	881	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	2,898	4.6%
A Few	12,413	19.6%
Some	12,823	20.3%
Most	25,237	39.9%
All	9,854	15.6%
Frequency Missing	1,175	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	6,616	10.7%
Some High School	8,460	13.7%
Finished High School	14,305	23.1%
Some College	7,659	12.4%
Finished College	10,331	16.7%
Post-Secondary	4,245	6.9%
Don't Know or N/A	10,228	16.5%
Frequency Missing	2,556	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,367	2.2%
A Few	7,018	11.2%
Some	15,023	23.9%
Most	25,846	41.1%
All	13,636	21.7%
Frequency Missing	1,510	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 90 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	29,627	47.6%
A Few	18,508	29.7%
Some	8,770	14.1%
Most	3,442	5.5%
All	1,954	3.1%
Frequency Missing	2,099	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	60,587	95.6%
In Your Lifetime	1,970	3.1%
Since School Began	219	0.3%
In the Past Month	599	0.9%
Frequency Missing	1,025	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	44,880	71.3%
A Few	10,921	17.4%
Some	4,036	6.4%
Most	2,125	3.4%
All	946	1.5%
Frequency Missing	1,492	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	62,599	98.9%
In Your Lifetime	349	0.6%
Since School Began	162	0.3%
In the Past Month	172	0.3%
Frequency Missing	1,119	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	52,690	83.7%
A Few	6,741	10.7%
Some	1,970	3.1%
Most	875	1.4%
All	698	1.1%
Frequency Missing	1,426	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	59,119	93.3%
In Your Lifetime	2,698	4.3%
Since School Began	559	0.9%
In the Past Month	968	1.5%
Frequency Missing	1,055	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	61,981	97.7%
In Your Lifetime	1,072	1.7%
Since School Began	157	0.2%
In the Past Month	229	0.4%
Frequency Missing	962	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	62,784	99.1%
In Your Lifetime	356	0.6%
Since School Began	80	0.1%
In the Past Month	157	0.2%
Frequency Missing	1,023	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 91 of 125

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	62,624	99.0%
In Your Lifetime	358	0.6%
Since School Began	144	0.2%
In the Past Month	119	0.2%
Frequency Missing	1,155	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	57,137	90.8%
In Your Lifetime	3,061	4.9%
Since School Began	1,012	1.6%
In the Past Month	1,690	2.7%
Frequency Missing	1,500	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	61,853	97.6%
In Your Lifetime	884	1.4%
Since School Began	147	0.2%
In the Past Month	469	0.7%
Frequency Missing	1,048	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	34,633	55.8%
In Your Lifetime	11,960	19.3%
Since School Began	5,253	8.5%
In the Past Month	10,202	16.4%
Frequency Missing	2,351	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	43,201	69.1%
In Your Lifetime	8,209	13.1%
Since School Began	3,772	6.0%
In the Past Month	7,328	11.7%
Frequency Missing	1,890	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	62,481	98.4%
In Your Lifetime	563	0.9%
Since School Began	106	0.2%
In the Past Month	317	0.5%
Frequency Missing	933	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	43,669	70.0%
In Your Lifetime	10,250	16.4%
Since School Began	3,264	5.2%
In the Past Month	5,204	8.3%
Frequency Missing	2,013	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	50,768	80.4%
In Your Lifetime	6,690	10.6%
Since School Began	1,733	2.7%
In the Past Month	3,985	6.3%
Frequency Missing	1,224	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	39,700	63.6%
In Your Lifetime	9,180	14.7%
Since School Began	4,616	7.4%
In the Past Month	8,948	14.3%
Frequency Missing	1,957	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	61,796	97.3%
In Your Lifetime	947	1.5%
Since School Began	234	0.4%
In the Past Month	528	0.8%
Frequency Missing	895	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	61,044	97.0%
In Your Lifetime	1,400	2.2%
Since School Began	161	0.3%
In the Past Month	343	0.5%
Frequency Missing	1,452	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	62,987	99.5%
In Your Lifetime	143	0.2%
Since School Began	27	0.0%
In the Past Month	163	0.3%
Frequency Missing	1,080	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	44,434	70.3%
In Your Lifetime	8,443	13.4%
Since School Began	2,850	4.5%
In the Past Month	7,435	11.8%
Frequency Missing	1,238	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	62,097	97.8%
In Your Lifetime	619	1.0%
Since School Began	243	0.4%
In the Past Month	546	0.9%
Frequency Missing	896	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	50,432	79.4%
In Your Lifetime	5,970	9.4%
Since School Began	2,549	4.0%
In the Past Month	4,548	7.2%
Frequency Missing	901	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	63,344	99.6%
In Your Lifetime	94	0.1%
Since School Began	13	0.0%
In the Past Month	123	0.2%
Frequency Missing	827	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	62,815	98.9%
In Your Lifetime	544	0.9%
Since School Began	30	0.0%
In the Past Month	148	0.2%
Frequency Missing	862	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	61,561	97.3%
In Your Lifetime	1,024	1.6%
Since School Began	149	0.2%
In the Past Month	520	0.8%
Frequency Missing	1,146	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	62,347	98.6%
In Your Lifetime	554	0.9%
Since School Began	75	0.1%
In the Past Month	244	0.4%
Frequency Missing	1,181	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	54,538	86.3%
In Your Lifetime	4,140	6.5%
Since School Began	2,156	3.4%
In the Past Month	2,375	3.8%
Frequency Missing	1,191	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	63,231	99.6%
In Your Lifetime	174	0.3%
Since School Began	56	0.1%
In the Past Month	50	0.1%
Frequency Missing	888	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	60,664	96.1%
In Your Lifetime	1,247	2.0%
Since School Began	622	1.0%
In the Past Month	570	0.9%
Frequency Missing	1,298	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	62,767	98.9%
In Your Lifetime	313	0.5%
Since School Began	90	0.1%
In the Past Month	277	0.4%
Frequency Missing	953	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	60,098	95.3%
In Your Lifetime	1,451	2.3%
Since School Began	582	0.9%
In the Past Month	933	1.5%
Frequency Missing	1,335	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	61,345	97.4%
In Your Lifetime	815	1.3%
Since School Began	187	0.3%
In the Past Month	657	1.0%
Frequency Missing	1,397	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	44,747	70.9%
1-2 times	11,276	17.9%
3-10 times	4,771	7.6%
11+ times	2,344	3.7%
Frequency Missing	1,262	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	58,323	92.7%
In Your Lifetime	2,040	3.2%
Since School Began	886	1.4%
In the Past Month	1,633	2.6%
Frequency Missing	1,518	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	62,043	98.4%
1-2 times	769	1.2%
3-10 times	156	0.2%
11+ times	90	0.1%
Frequency Missing	1,343	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	61,146	97.2%
In Your Lifetime	849	1.4%
Since School Began	333	0.5%
In the Past Month	560	0.9%
Frequency Missing	1,511	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	55,864	88.2%
1-2 times	3,680	5.8%
3-10 times	1,606	2.5%
11+ times	2,168	3.4%
Frequency Missing	1,081	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	56,327	89.1%
1-2 times	3,729	5.9%
3-10 times	1,332	2.1%
11+ times	1,845	2.9%
Frequency Missing	1,166	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	62,544	98.7%
1-2 times	505	0.8%
3-10 times	199	0.3%
11+ times	120	0.2%
Frequency Missing	1,032	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 95 of 125

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	63,153	99.7%
1-2 times	114	0.2%
3-10 times	36	0.1%
11+ times	34	0.1%
Frequency Missing	1,063	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	37,296	59.2%
A few	12,833	20.4%
Some	6,286	10.0%
Most	4,810	7.6%
All	1,772	2.8%
Frequency Missing	1,403	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	40,964	64.8%
A few	13,573	21.5%
Some	5,671	9.0%
Most	2,389	3.8%
All	618	1.0%
Frequency Missing	1,185	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	51,624	81.7%
8 or younger	590	0.9%
9 years old	494	0.8%
10 years old	641	1.0%
11 years old	705	1.1%
12 years old	1,137	1.8%
13 years old	1,373	2.2%
14 years old	1,926	3.0%
15 years old	2,098	3.3%
16 years old	1,358	2.2%
17 years old	907	1.4%
18 or older	299	0.5%
Frequency Missing	1,247	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	24,560	38.9%
A few	17,443	27.6%
Some	10,682	16.9%
Most	8,217	13.0%
All	2,250	3.6%
Frequency Missing	1,249	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	30,570	48.8%
8 or younger	2,632	4.2%
9 years old	1,329	2.1%
10 years old	1,762	2.8%
11 years old	1,428	2.3%
12 years old	3,007	4.8%
13 years old	4,716	7.5%
14 years old	5,030	8.0%
15 years old	6,069	9.7%
16 years old	3,997	6.4%
17 years old	1,707	2.7%
18 or older	389	0.6%
Frequency Missing	1,763	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	58,490	93.0%
A few	3,225	5.1%
Some	812	1.3%
Most	199	0.3%
All	161	0.3%
Frequency Missing	1,513	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 96 of 125

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	60,965	97.0%
8 or younger	271	0.4%
9 years old	124	0.2%
10 years old	140	0.2%
11 years old	214	0.3%
12 years old	241	0.4%
13 years old	400	0.6%
14 years old	169	0.3%
15 years old	181	0.3%
16 years old	60	0.1%
17 years old	57	0.1%
18 or older	0	0.0%
Frequency Missing	1,578	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	61,613	97.6%
8 or younger	25	0.0%
9 years old	0	0.0%
10 years old	61	0.1%
11 years old	33	0.1%
12 years old	99	0.2%
13 years old	112	0.2%
14 years old	197	0.3%
15 years old	235	0.4%
16 years old	470	0.7%
17 years old	247	0.4%
18 or older	49	0.1%
Frequency Missing	1,260	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	50,039	79.5%
8 or younger	345	0.5%
9 years old	247	0.4%
10 years old	469	0.7%
11 years old	464	0.7%
12 years old	1,197	1.9%
13 years old	2,097	3.3%
14 years old	2,547	4.0%
15 years old	2,508	4.0%
16 years old	2,085	3.3%
17 years old	838	1.3%
18 or older	121	0.2%
Frequency Missing	1,443	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	62,860	99.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	50	0.1%
11 years old	28	0.0%
12 years old	33	0.1%
13 years old	43	0.1%
14 years old	0	0.0%
15 years old	38	0.1%
16 years old	50	0.1%
17 years old	17	0.0%
18 or older	0	0.0%
Frequency Missing	1,280	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 97 of 125

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	62,530	99.1%
8 or younger	60	0.1%
9 years old	16	0.0%
10 years old	5	0.0%
11 years old	61	0.1%
12 years old	90	0.1%
13 years old	79	0.1%
14 years old	61	0.1%
15 years old	128	0.2%
16 years old	66	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,303	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	63,004	99.8%
8 or younger	37	0.1%
9 years old	11	0.0%
10 years old	14	0.0%
11 years old	5	0.0%
12 years old	31	0.0%
13 years old	0	0.0%
14 years old	54	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	1,245	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	62,284	98.9%
8 or younger	34	0.1%
9 years old	31	0.0%
10 years old	40	0.1%
11 years old	0	0.0%
12 years old	37	0.1%
13 years old	55	0.1%
14 years old	104	0.2%
15 years old	208	0.3%
16 years old	146	0.2%
17 years old	32	0.1%
18 or older	0	0.0%
Frequency Missing	1,428	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	62,652	99.3%
8 or younger	23	0.0%
9 years old	9	0.0%
10 years old	25	0.0%
11 years old	12	0.0%
12 years old	68	0.1%
13 years old	44	0.1%
14 years old	68	0.1%
15 years old	124	0.2%
16 years old	32	0.1%
17 years old	15	0.0%
18 or older	42	0.1%
Frequency Missing	1,287	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 98 of 125

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	61,546	97.5%
8 or younger	36	0.1%
9 years old	11	0.0%
10 years old	85	0.1%
11 years old	73	0.1%
12 years old	145	0.2%
13 years old	332	0.5%
14 years old	453	0.7%
15 years old	238	0.4%
16 years old	79	0.1%
17 years old	66	0.1%
18 or older	43	0.1%
Frequency Missing	1,293	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	16,035	25.5%
Impossible	11,609	18.5%
Very Difficult	4,285	6.8%
Somewhat diff	6,106	9.7%
Somewhat easy	11,151	17.7%
Very easy	13,696	21.8%
Frequency Missing	1,519	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	11,019	17.6%
Impossible	8,072	12.9%
Very Difficult	4,549	7.3%
Somewhat diff	7,685	12.3%
Somewhat easy	13,229	21.2%
Very easy	17,959	28.7%
Frequency Missing	1,889	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	26,443	42.3%
Impossible	10,593	16.9%
Very Difficult	2,964	4.7%
Somewhat diff	4,101	6.6%
Somewhat easy	5,766	9.2%
Very easy	12,702	20.3%
Frequency Missing	1,831	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	16,443	26.2%
Impossible	14,584	23.2%
Very Difficult	5,984	9.5%
Somewhat diff	6,523	10.4%
Somewhat easy	8,010	12.8%
Very easy	11,262	17.9%
Frequency Missing	1,595	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	23,825	38.0%
Impossible	20,167	32.2%
Very Difficult	7,203	11.5%
Somewhat diff	4,930	7.9%
Somewhat easy	3,120	5.0%
Very easy	3,392	5.4%
Frequency Missing	1,762	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	25,428	40.7%
Impossible	20,984	33.6%
Very Difficult	7,244	11.6%
Somewhat diff	4,244	6.8%
Somewhat easy	2,217	3.6%
Very easy	2,317	3.7%
Frequency Missing	1,967	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 99 of 125

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	26,991	43.1%
Impossible	19,796	31.6%
Very Difficult	7,402	11.8%
Somewhat diff	4,376	7.0%
Somewhat easy	1,839	2.9%
Very easy	2,197	3.5%
Frequency Missing	1,799	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	29,152	46.5%
Impossible	18,267	29.2%
Very Difficult	6,040	9.6%
Somewhat diff	3,519	5.6%
Somewhat easy	2,660	4.2%
Very easy	2,992	4.8%
Frequency Missing	1,771	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	31,335	50.1%
Impossible	18,085	28.9%
Very Difficult	6,226	10.0%
Somewhat diff	3,605	5.8%
Somewhat easy	1,519	2.4%
Very easy	1,798	2.9%
Frequency Missing	1,831	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	907	1.4%
Several times/wk	1,268	2.0%
Several times/mo	1,025	1.6%
About once/month	2,183	3.5%
About once/year	1,832	2.9%
Less than once/year	3,357	5.3%
Never used	52,503	83.2%
Frequency Missing	1,325	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	28,883	46.2%
Impossible	21,279	34.0%
Very Difficult	6,708	10.7%
Somewhat diff	2,896	4.6%
Somewhat easy	1,261	2.0%
Very easy	1,527	2.4%
Frequency Missing	1,846	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	162	0.3%
Several times/wk	1,540	2.4%
Several times/mo	5,550	8.8%
About once/month	8,067	12.8%
About once/year	7,430	11.8%
Less than once/year	6,224	9.9%
Never used	34,013	54.0%
Frequency Missing	1,415	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	29,659	47.3%
Impossible	19,627	31.3%
Very Difficult	7,008	11.2%
Somewhat diff	2,850	4.5%
Somewhat easy	1,769	2.8%
Very easy	1,807	2.9%
Frequency Missing	1,681	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 100 of 125

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	43	0.1%
Several times/wk	76	0.1%
Several times/mo	245	0.4%
About once/month	366	0.6%
About once/year	196	0.3%
Less than once/year	760	1.2%
Never used	60,973	97.3%
Frequency Missing	1,741	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	9	0.0%
Several times/mo	26	0.0%
About once/month	70	0.1%
About once/year	64	0.1%
Less than once/year	54	0.1%
Never used	62,842	99.6%
Frequency Missing	1,334	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	1,079	1.7%
Several times/wk	1,132	1.8%
Several times/mo	1,586	2.5%
About once/month	2,160	3.4%
About once/year	2,763	4.4%
Less than once/year	2,780	4.4%
Never used	51,405	81.7%
Frequency Missing	1,496	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	21	0.0%
Several times/wk	13	0.0%
Several times/mo	0	0.0%
About once/month	20	0.0%
About once/year	80	0.1%
Less than once/year	236	0.4%
Never used	62,620	99.4%
Frequency Missing	1,410	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	25	0.0%
Several times/wk	132	0.2%
Several times/mo	156	0.2%
About once/month	294	0.5%
About once/year	252	0.4%
Less than once/year	441	0.7%
Never used	61,584	97.9%
Frequency Missing	1,517	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	48	0.1%
About once/month	105	0.2%
About once/year	175	0.3%
Less than once/year	333	0.5%
Never used	62,301	98.9%
Frequency Missing	1,437	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	20	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	30	0.0%
Less than once/year	103	0.2%
Never used	62,846	99.8%
Frequency Missing	1,400	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	34,111	54.2%
12+ drinks	2,474	3.9%
9-11 drinks	1,958	3.1%
5-8 drinks	3,506	5.6%
3-4 drinks	3,861	6.1%
2 drinks	4,049	6.4%
1 drink	4,549	7.2%
Less than 1 drink	8,417	13.4%
Frequency Missing	1,474	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	16	0.0%
Several times/wk	24	0.0%
Several times/mo	53	0.1%
About once/month	54	0.1%
About once/year	64	0.1%
Less than once/year	200	0.3%
Never used	62,560	99.3%
Frequency Missing	1,428	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	41,668	66.6%
12+ drinks	1,461	2.3%
9-11 drinks	1,099	1.8%
5-8 drinks	2,508	4.0%
3-4 drinks	3,745	6.0%
2 drinks	3,557	5.7%
1 drink	4,362	7.0%
Less than 1 drink	4,181	6.7%
Frequency Missing	1,819	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	25	0.0%
Several times/wk	110	0.2%
Several times/mo	123	0.2%
About once/month	213	0.3%
About once/year	304	0.5%
Less than once/year	532	0.8%
Never used	61,434	97.9%
Frequency Missing	1,659	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	43,667	69.7%
12+ drinks	563	0.9%
9-11 drinks	308	0.5%
5-8 drinks	1,083	1.7%
3-4 drinks	1,613	2.6%
2 drinks	3,218	5.1%
1 drink	5,039	8.0%
Less than 1 drink	7,197	11.5%
Frequency Missing	1,712	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	38,847	61.8%
12+ drinks	1,645	2.6%
9-11 drinks	1,088	1.7%
5-8 drinks	2,933	4.7%
3-4 drinks	4,247	6.8%
2 drinks	3,632	5.8%
1 drink	4,462	7.1%
Less than 1 drink	5,955	9.5%
Frequency Missing	1,591	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	33,594	53.4%
Never	9,410	15.0%
Seldom	9,947	15.8%
Most of the Time	7,418	11.8%
Always	2,528	4.0%
Frequency Missing	1,503	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	36,470	58.0%
Never	20,573	32.7%
Seldom	3,061	4.9%
Most of the Time	2,029	3.2%
Always	704	1.1%
Frequency Missing	1,563	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	34,157	54.8%
0 days	19,397	31.1%
1 day	3,073	4.9%
2 days	1,838	2.9%
3 to 5 days	1,837	2.9%
6 to 9 days	601	1.0%
10 or more days	1,428	2.3%
Frequency Missing	2,069	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	32,664	51.9%
Never	8,698	13.8%
Seldom	7,628	12.1%
Most of the Time	8,296	13.2%
Always	5,599	8.9%
Frequency Missing	1,515	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	35,013	55.6%
Never	13,118	20.8%
Seldom	10,560	16.8%
Most of the Time	3,126	5.0%
Always	1,195	1.9%
Frequency Missing	1,388	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	35,870	57.4%
Never	13,686	21.9%
Seldom	6,332	10.1%
Most of the Time	3,721	6.0%
Always	2,908	4.7%
Frequency Missing	1,884	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 103 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	38,241	60.6%
Somewhat	16,433	26.0%
Not very	4,844	7.7%
Not at all	864	1.4%
Don't know	2,731	4.3%
Frequency Missing	1,287	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	56,694	90.0%
Somewhat	2,917	4.6%
Not very	425	0.7%
Not at all	343	0.5%
Don't know	2,649	4.2%
Frequency Missing	1,372	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	29,661	47.2%
Somewhat	21,350	34.0%
Not very	8,464	13.5%
Not at all	1,204	1.9%
Don't know	2,183	3.5%
Frequency Missing	1,537	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	57,067	90.5%
Somewhat	2,743	4.3%
Not very	141	0.2%
Not at all	269	0.4%
Don't know	2,859	4.5%
Frequency Missing	1,322	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	48,756	77.9%
Somewhat	7,248	11.6%
Not very	1,701	2.7%
Not at all	763	1.2%
Don't know	4,129	6.6%
Frequency Missing	1,803	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	53,935	85.8%
Somewhat	3,299	5.2%
Not very	530	0.8%
Not at all	323	0.5%
Don't know	4,771	7.6%
Frequency Missing	1,542	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	38,845	61.8%
Somewhat	8,703	13.8%
Not very	6,538	10.4%
Not at all	6,252	9.9%
Don't know	2,553	4.1%
Frequency Missing	1,509	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	50,250	80.0%
Somewhat	6,336	10.1%
Not very	1,505	2.4%
Not at all	509	0.8%
Don't know	4,187	6.7%
Frequency Missing	1,613	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 104 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	56,662	89.9%
Somewhat	2,107	3.3%
Not very	63	0.1%
Not at all	256	0.4%
Don't know	3,942	6.3%
Frequency Missing	1,371	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	37,244	59.3%
Somewhat	8,530	13.6%
Not very	7,800	12.4%
Not at all	5,678	9.0%
Don't know	3,530	5.6%
Frequency Missing	1,618	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	56,438	89.6%
Somewhat	2,092	3.3%
Not very	104	0.2%
Not at all	309	0.5%
Don't know	4,046	6.4%
Frequency Missing	1,411	

Days Skipped Since September

Q28a	Frequency	Percent
None	54,100	86.5%
1-3 days	6,492	10.4%
4-9 days	1,146	1.8%
10+ days	780	1.2%
Frequency Missing	1,881	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	53,709	85.3%
Somewhat	3,482	5.5%
Not very	873	1.4%
Not at all	386	0.6%
Don't know	4,505	7.2%
Frequency Missing	1,446	

Days Ill Since September

Q28b	Frequency	Percent
None	20,718	33.1%
1-3 days	32,132	51.3%
4-9 days	7,687	12.3%
10+ days	2,058	3.3%
Frequency Missing	1,805	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	50,356	80.2%
Somewhat	6,674	10.6%
Not very	1,390	2.2%
Not at all	644	1.0%
Don't know	3,747	6.0%
Frequency Missing	1,589	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	23,650	38.1%
1-3 days	31,135	50.2%
4-9 days	5,148	8.3%
10+ days	2,076	3.3%
Frequency Missing	2,391	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 105 of 125

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	54,627	87.3%
1-3 days	6,094	9.7%
4-9 days	944	1.5%
10+ days	920	1.5%
Frequency Missing	1,814	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	60,474	96.6%
1-3 times	1,679	2.7%
4-9 times	209	0.3%
10+ times	229	0.4%
Frequency Missing	1,809	

Someone Called Home Since September

Q28e	Frequency	Percent
None	57,258	91.3%
1-3 days	4,287	6.8%
4-9 days	634	1.0%
10+ days	521	0.8%
Frequency Missing	1,700	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	59,397	94.8%
1-3 times	1,851	3.0%
4-9 times	562	0.9%
10+ times	860	1.4%
Frequency Missing	1,730	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	59,660	95.1%
1-3 times	2,681	4.3%
4-9 times	171	0.3%
10+ times	253	0.4%
Frequency Missing	1,636	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	60,032	95.9%
1-3 days	1,874	3.0%
4-9 days	302	0.5%
10+ days	376	0.6%
Frequency Missing	1,816	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	58,411	93.2%
1-3 times	3,403	5.4%
4-9 times	376	0.6%
10+ times	464	0.7%
Frequency Missing	1,745	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	58,768	94.0%
1-3 days	1,876	3.0%
4-9 days	752	1.2%
10+ days	1,129	1.8%
Frequency Missing	1,876	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	61,923	99.0%
1-3 days	350	0.6%
4-9 days	51	0.1%
10+ days	251	0.4%
Frequency Missing	1,824	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	60,813	97.6%
1-3 days	853	1.4%
4-9 days	281	0.5%
10+ days	392	0.6%
Frequency Missing	2,060	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	24,817	39.7%
Seldom	4,979	8.0%
Half the time	3,691	5.9%
Most of the Time	7,379	11.8%
Always	8,230	13.2%
Don't Know	1,371	2.2%
Didn't attend	11,989	19.2%
Frequency Missing	1,944	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	33,764	54.1%
Seldom	4,755	7.6%
Half the time	2,780	4.5%
Most of the Time	3,642	5.8%
Always	3,124	5.0%
Don't Know	2,277	3.6%
Didn't attend	12,080	19.4%
Frequency Missing	1,979	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	55,981	93.2%
Yes	4,102	6.8%
Frequency Missing	4,317	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	37,231	61.2%
Yes	23,568	38.8%
Frequency Missing	3,601	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	46,182	76.5%
Yes	14,165	23.5%
Frequency Missing	4,054	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	34,710	57.3%
Yes	25,862	42.7%
Frequency Missing	3,828	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	17,485	28.6%
Yes	43,749	71.4%
Frequency Missing	3,166	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 107 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	27,304	45.2%
Yes	33,125	54.8%
Frequency Missing	3,970	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	35,987	59.5%
Yes	24,463	40.5%
Frequency Missing	3,950	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	21,793	36.2%
Yes	38,449	63.8%
Frequency Missing	4,158	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	30,253	50.0%
Yes	30,253	50.0%
Frequency Missing	3,894	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	23,820	39.4%
Yes	36,623	60.6%
Frequency Missing	3,957	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	45,059	74.8%
Yes	15,178	25.2%
Frequency Missing	4,163	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	36,218	59.7%
Yes	24,461	40.3%
Frequency Missing	3,721	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	48,662	80.9%
Yes	11,465	19.1%
Frequency Missing	4,273	

Would Not Seek Help

Q33i	Frequency	Percent
No	46,668	79.9%
Yes	11,710	20.1%
Frequency Missing	6,022	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	44,409	74.0%
Yes	15,643	26.0%
Frequency Missing	4,349	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	51,710	86.1%
Yes	8,320	13.9%
Frequency Missing	4,370	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	39,818	66.2%
Yes	20,350	33.8%
Frequency Missing	4,233	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	43,792	72.7%
Yes	16,420	27.3%
Frequency Missing	4,188	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	47,272	75.6%
Mild disapprove	5,554	8.9%
Neither	3,875	6.2%
Mildly approve	745	1.2%
Strongly approve	434	0.7%
Don't know	4,681	7.5%
Frequency Missing	1,840	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	36,507	58.5%
Mild disapprove	10,258	16.4%
Neither	7,983	12.8%
Mildly approve	2,571	4.1%
Strongly approve	646	1.0%
Don't know	4,482	7.2%
Frequency Missing	1,952	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	49,210	78.8%
Mild disapprove	3,532	5.7%
Neither	3,308	5.3%
Mildly approve	1,084	1.7%
Strongly approve	1,070	1.7%
Don't know	4,226	6.8%
Frequency Missing	1,970	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 109 of 125

©Copyright 2018 Texas A&M University
All Rights Reserved

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

<p>This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.</p>
--

Cocaine or Crack

<p>This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.</p>

Any Prescription Drug

<p>This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.</p>

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

